

**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**



**Adapters**

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

**Female Spigot Adapter**

**Spigot x Fipt**



|         |       |    |     |     |       |
|---------|-------|----|-----|-----|-------|
| 478-005 | 1/2   | 50 | 600 | 040 | .89   |
| 478-007 | 3/4   | 25 | 300 | 040 | 1.05  |
| 478-010 | 1     | 50 | 0   | 040 | 1.68  |
| 478-012 | 1-1/4 | 25 | 0   | 040 | 2.35  |
| 478-015 | 1-1/2 | 20 | 0   | 040 | 2.91  |
| 478-020 | 2     | 20 | 0   | 040 | 4.26  |
| 478-030 | 3     | 10 | 0   | 040 | 14.46 |
| 478-040 | 4     | 5  | 0   | 040 | 24.01 |

**Female Spigot Adapter - Special Reinforced**

**Spigot x SR Fipt - Stainless Steel Collar**



|           |       |    |     |     |       |
|-----------|-------|----|-----|-----|-------|
| 478-005SR | 1/2   | 50 | 600 | 046 | 4.52  |
| 478-007SR | 3/4   | 25 | 300 | 046 | 5.33  |
| 478-010SR | 1     | 50 | 0   | 046 | 8.21  |
| 478-012SR | 1-1/4 | 25 | 0   | 046 | 13.07 |
| 478-015SR | 1-1/2 | 25 | 0   | 046 | 15.67 |
| 478-020SR | 2     | 15 | 0   | 046 | 26.09 |
| 478-030SR | 3     | 5  | 0   | 046 | 47.96 |
| 478-040SR | 4     | 5  | 0   | 046 | 74.07 |

**Female Spigot Adapter - Special Reinforced Reducing**

**Spigot x SR Fipt - Stainless Steel Collar**



|           |         |    |     |     |       |
|-----------|---------|----|-----|-----|-------|
| 478-072SR | 1/2X1/4 | 25 | 450 | 046 | 12.58 |
| 478-098SR | 3/4X1/4 | 50 | 300 | 046 | 18.32 |
| 478-128SR | 1X1/4   | 50 | 400 | 046 | 18.88 |

Spears® SR Series reinforced spigot adapters can be user-installed in a variety of socket type tees, elbows and reducer bushings for superior thread reinforcement demanding applications.

**Riser Extensions**

**Riser Extension**

**Fipt x Mipt**



(See also Polyethylene Cut-Off Riser Extensions in this catalog)

|         |     |    |     |     |      |
|---------|-----|----|-----|-----|------|
| 434-005 | 1/2 | 50 | 300 | 040 | 1.31 |
| 434-007 | 3/4 | 50 | 300 | 040 | 2.19 |
| 434-010 | 1   | 50 | 0   | 040 | 2.74 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

**Riser Extension - Polyethylene Cut-Off**

**Fipt x Mipt**



(1/2" = 3-Section Cut-Off; 3/4" = 4-Section Cut-Off)

|            |       |    |     |     |      |
|------------|-------|----|-----|-----|------|
| M434-005-3 | 1/2X3 | 50 | 600 | 120 | 1.57 |
| M434-007-4 | 3/4X4 | 50 | 0   | 120 | 2.08 |

High Density Polyethylene - Not NSF-listed - Not pressure rated. For use on open ended irrigation systems.

**Reducer Bushing**

**Reducer Bushing Flush Style**

**Spigot x Socket**



|                      |             |    |     |     |       |
|----------------------|-------------|----|-----|-----|-------|
| 437-052              | 3/8X1/4     | 50 | 450 | 040 | 1.31  |
| 437-072              | 1/2X1/4     | 50 | 300 | 040 | 1.35  |
| 437-073              | 1/2X3/8     | 50 | 300 | 040 | 1.35  |
| 437-101              | 3/4X1/2     | 50 | 300 | 040 | .75   |
| 437-130              | 1X1/2       | 50 | 300 | 040 | 1.35  |
| 437-131              | 1X3/4       | 50 | 300 | 040 | 1.35  |
| 437-166              | 1-1/4X1/2   | 25 | 300 | 040 | 1.82  |
| 437-167              | 1-1/4X3/4   | 25 | 300 | 040 | 1.82  |
| 437-168              | 1-1/4X1     | 25 | 300 | 040 | 1.82  |
| 437-209              | 1-1/2X1/2   | 25 | 200 | 040 | 1.93  |
| 437-210              | 1-1/2X3/4   | 25 | 200 | 040 | 1.93  |
| 437-211              | 1-1/2X1     | 25 | 200 | 040 | 1.93  |
| 437-212              | 1-1/2X1-1/4 | 25 | 200 | 040 | 1.93  |
| 437-247              | 2X1/2       | 10 | 120 | 040 | 3.18  |
| 437-248              | 2X3/4       | 10 | 60  | 040 | 3.18  |
| 437-249              | 2X1         | 10 | 60  | 040 | 3.18  |
| 437-250              | 2X1-1/4     | 10 | 120 | 040 | 3.18  |
| 437-251              | 2X1-1/2     | 25 | 0   | 040 | 3.18  |
| 437-287              | 2-1/2X1/2   | 10 | 80  | 040 | 5.12  |
| 437-288              | 2-1/2X3/4   | 10 | 0   | 040 | 5.12  |
| 437-289              | 2-1/2X1     | 10 | 40  | 040 | 5.12  |
| 437-290              | 2-1/2X1-1/4 | 10 | 40  | 040 | 5.12  |
| 437-291              | 2-1/2X1-1/2 | 10 | 40  | 040 | 5.12  |
| 437-292              | 2-1/2X2     | 10 | 80  | 040 | 5.12  |
| 437-333              | 3X1/2       | 10 | 0   | 040 | 10.07 |
| 437-334              | 3X3/4       | 10 | 0   | 040 | 7.54  |
| 437-335              | 3X1         | 10 | 0   | 040 | 7.54  |
| 437-336              | 3X1-1/4     | 10 | 0   | 040 | 7.54  |
| 437-337              | 3X1-1/2     | 10 | 0   | 040 | 7.54  |
| 437-338              | 3X2         | 10 | 0   | 040 | 7.54  |
| 437-339              | 3X2-1/2     | 15 | 0   | 040 | 7.54  |
| 437-417 <sup>1</sup> | 4X1         | 6  | 0   | 040 | 20.46 |
| 437-418 <sup>1</sup> | 4X1-1/4     | 6  | 0   | 040 | 20.67 |
| 437-419              | 4X1-1/2     | 6  | 0   | 040 | 20.67 |
| 437-420              | 4X2         | 6  | 0   | 040 | 16.87 |
| 437-421              | 4X2-1/2     | 6  | 0   | 040 | 16.87 |
| 437-422              | 4X3         | 6  | 0   | 040 | 16.87 |
| 437-486              | 5X2         | 5  | 0   | 040 | 23.73 |



**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**

**Reducer Bushing**

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

**Reducer Bushing Flush Style (continued)**

**Spigot x Socket**

|                      |       |   |   |     |         |
|----------------------|-------|---|---|-----|---------|
| 437-488              | 5X3   | 5 | 0 | 040 | 23.73   |
| 437-490              | 5X4   | 4 | 0 | 040 | 23.73   |
| 437-528              | 6X2   | 5 | 0 | 040 | 41.80   |
| 437-530              | 6X3   | 5 | 0 | 040 | 41.80   |
| 437-532              | 6X4   | 5 | 0 | 040 | 41.80   |
| 437-534              | 6X5   | 5 | 0 | 040 | 41.80   |
| 437-578 <sup>1</sup> | 8X2   | 4 | 0 | 040 | 164.82  |
| 437-580 <sup>1</sup> | 8X3   | 4 | 0 | 040 | 164.82  |
| 437-582              | 8X4   | 4 | 0 | 040 | 145.67  |
| 437-583 <sup>1</sup> | 8X5   | 4 | 0 | 040 | 190.35  |
| 437-585              | 8X6   | 4 | 0 | 040 | 145.67  |
| 437-621 <sup>1</sup> | 10X2  | 2 | 0 | 041 | 459.66  |
| 437-623 <sup>1</sup> | 10X3  | 2 | 0 | 041 | 437.19  |
| 437-624 <sup>1</sup> | 10X4  | 2 | 0 | 041 | 437.19  |
| 437-626              | 10X6  | 3 | 0 | 041 | 396.56  |
| 437-628              | 10X8  | 3 | 0 | 041 | 396.56  |
| 437-664 <sup>1</sup> | 12X4  | 2 | 0 | 041 | 590.52  |
| 437-666 <sup>1</sup> | 12X6  | 2 | 0 | 041 | 590.52  |
| 437-666F             | 12X6  | 1 | 2 | 047 | 436.02  |
| 437-668              | 12X8  | 2 | 0 | 041 | 441.02  |
| 437-670              | 12X10 | 2 | 0 | 041 | 441.02  |
| 437-670F             | 12X10 | 1 | 3 | 047 | 283.13  |
| 437-696F             | 14X6  | 1 | 3 | 047 | 1070.12 |
| 437-698F             | 14X8  | 1 | 3 | 047 | 766.71  |
| 437-700F             | 14X10 | 1 | 3 | 047 | 511.46  |
| 437-702F             | 14X12 | 1 | 3 | 047 | 178.52  |
| 437-756F             | 16X6  | 1 | 0 | 047 | 1274.95 |
| 437-758F             | 16X8  | 1 | 0 | 047 | 1005.44 |
| 437-760F             | 16X10 | 1 | 0 | 047 | 722.39  |
| 437-762F             | 16X12 | 1 | 2 | 047 | 417.31  |
| 437-764F             | 16X14 | 1 | 2 | 047 | 436.76  |
| 437-786F             | 18X6  | 1 | 0 | 047 | 2140.67 |
| 437-788F             | 18X8  | 1 | 0 | 047 | 1966.48 |
| 437-790F             | 18X10 | 1 | 0 | 047 | 1608.35 |
| 437-792F             | 18X12 | 1 | 0 | 047 | 1035.29 |
| 437-794F             | 18X14 | 1 | 0 | 047 | 1008.77 |
| 437-796F             | 18X16 | 1 | 0 | 047 | 500.63  |
| 437-816F             | 20X6  | 1 | 0 | 047 | 2963.56 |
| 437-818F             | 20X8  | 1 | 0 | 047 | 2785.31 |
| 437-820F             | 20X10 | 1 | 0 | 047 | 2581.33 |
| 437-822F             | 20X12 | 1 | 0 | 047 | 2254.57 |
| 437-824F             | 20X14 | 1 | 0 | 047 | 1847.71 |
| 437-826F             | 20X16 | 1 | 0 | 047 | 1476.83 |
| 437-828F             | 20X18 | 1 | 0 | 047 | 736.42  |
| 437-906F             | 24X6  | 1 | 0 | 047 | 4719.62 |
| 437-908F             | 24X8  | 1 | 0 | 047 | 4523.65 |
| 437-910F             | 24X10 | 1 | 0 | 047 | 3982.39 |
| 437-912F             | 24X12 | 1 | 0 | 047 | 3639.75 |
| 437-914F             | 24X14 | 1 | 0 | 047 | 3357.14 |
| 437-916F             | 24X16 | 1 | 0 | 047 | 2810.48 |
| 437-918F             | 24X18 | 1 | 0 | 047 | 2795.06 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

**Reducer Bushing Flush Style (continued)**

**Spigot x Socket**

|          |       |   |   |     |         |
|----------|-------|---|---|-----|---------|
| 437-920F | 24X20 | 1 | 0 | 047 | 2275.43 |
|----------|-------|---|---|-----|---------|

<sup>1</sup> Sized with Bushing



**Reducer Bushing Flush Style**

**Spigot x Fipt**

|         |             |    |     |     |       |
|---------|-------------|----|-----|-----|-------|
| 438-052 | 3/8X1/4     | 50 | 450 | 040 | 1.56  |
| 438-071 | 1/2X1/8     | 50 | 400 | 040 | 1.56  |
| 438-072 | 1/2X1/4     | 50 | 350 | 040 | 1.56  |
| 438-073 | 1/2X3/8     | 50 | 350 | 040 | 1.56  |
| 438-098 | 3/4X1/4     | 50 | 300 | 040 | 1.56  |
| 438-101 | 3/4X1/2     | 50 | 300 | 040 | 1.18  |
| 438-127 | 1X1/8       | 25 | 150 | 040 | 1.91  |
| 438-128 | 1X1/4       | 50 | 200 | 040 | 1.91  |
| 438-129 | 1X3/8       | 50 | 200 | 040 | 1.91  |
| 438-130 | 1X1/2       | 50 | 300 | 040 | 1.91  |
| 438-131 | 1X3/4       | 50 | 300 | 040 | 1.91  |
| 438-166 | 1-1/4X1/2   | 25 | 150 | 040 | 2.93  |
| 438-167 | 1-1/4X3/4   | 25 | 150 | 040 | 2.93  |
| 438-168 | 1-1/4X1     | 25 | 100 | 040 | 2.93  |
| 438-206 | 1-1/2X1/8   | 25 | 100 | 040 | 3.37  |
| 438-207 | 1-1/2X1/4   | 25 | 200 | 040 | 3.37  |
| 438-209 | 1-1/2X1/2   | 25 | 100 | 040 | 3.37  |
| 438-210 | 1-1/2X3/4   | 25 | 100 | 040 | 3.37  |
| 438-211 | 1-1/2X1     | 25 | 100 | 040 | 3.37  |
| 438-212 | 1-1/2X1-1/4 | 25 | 100 | 040 | 3.37  |
| 438-245 | 2X1/4       | 10 | 60  | 040 | 4.52  |
| 438-247 | 2X1/2       | 10 | 60  | 040 | 4.52  |
| 438-248 | 2X3/4       | 10 | 60  | 040 | 4.52  |
| 438-249 | 2X1         | 10 | 120 | 040 | 4.52  |
| 438-250 | 2X1-1/4     | 10 | 120 | 040 | 4.52  |
| 438-251 | 2X1-1/2     | 10 | 120 | 040 | 4.52  |
| 438-287 | 2-1/2X1/2   | 10 | 0   | 040 | 6.56  |
| 438-288 | 2-1/2X3/4   | 10 | 40  | 040 | 6.56  |
| 438-289 | 2-1/2X1     | 10 | 40  | 040 | 6.56  |
| 438-290 | 2-1/2X1-1/4 | 10 | 40  | 040 | 6.56  |
| 438-291 | 2-1/2X1-1/2 | 10 | 40  | 040 | 6.56  |
| 438-292 | 2-1/2X2     | 10 | 40  | 040 | 6.56  |
| 438-334 | 3X3/4       | 10 | 0   | 040 | 7.54  |
| 438-335 | 3X1         | 10 | 0   | 040 | 7.54  |
| 438-336 | 3X1-1/4     | 10 | 0   | 040 | 7.54  |
| 438-337 | 3X1-1/2     | 10 | 0   | 040 | 7.54  |
| 438-338 | 3X2         | 10 | 0   | 040 | 7.54  |
| 438-339 | 3X2-1/2     | 10 | 0   | 040 | 7.54  |
| 438-420 | 4X2         | 6  | 0   | 040 | 16.84 |
| 438-421 | 4X2-1/2     | 6  | 0   | 040 | 16.84 |
| 438-422 | 4X3         | 6  | 0   | 040 | 16.84 |
| 438-488 | 5X3         | 5  | 0   | 040 | 32.84 |
| 438-490 | 5X4         | 6  | 0   | 040 | 32.84 |
| 438-528 | 6X2         | 5  | 0   | 040 | 61.64 |
| 438-530 | 6X3         | 5  | 0   | 040 | 61.64 |
| 438-532 | 6X4         | 5  | 0   | 040 | 61.64 |

**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**



**Reducer Bushing**

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

**Reducer Bushing Flush Style (continued)**

**Spigot x Fipt**

|         |     |   |   |     |       |
|---------|-----|---|---|-----|-------|
| 438-534 | 6X5 | 5 | 0 | 040 | 61.64 |
|---------|-----|---|---|-----|-------|

**Reducer Bushing - Special Reinforced Flush Style**



**Spigot x SR Fipt - Stainless Steel Collar**

|           |           |    |     |     |       |
|-----------|-----------|----|-----|-----|-------|
| 438-128SR | 1X1/4     | 25 | 150 | 046 | 3.66  |
| 438-166SR | 1-1/4X1/2 | 25 | 100 | 046 | 6.69  |
| 438-207SR | 1-1/2X1/4 | 25 | 100 | 046 | 9.34  |
| 438-209SR | 1-1/2X1/2 | 25 | 100 | 046 | 9.34  |
| 438-210SR | 1-1/2X3/4 | 25 | 100 | 046 | 9.34  |
| 438-247SR | 2X1/2     | 10 | 80  | 046 | 11.43 |
| 438-248SR | 2X3/4     | 10 | 80  | 046 | 11.43 |
| 438-249SR | 2X1       | 10 | 120 | 046 | 11.43 |
| 438-334SR | 3X3/4     | 10 | 0   | 046 | 44.75 |
| 438-335SR | 3X1       | 10 | 0   | 046 | 44.75 |
| 438-336SR | 3X1-1/4   | 10 | 0   | 046 | 44.75 |
| 438-337SR | 3X1-1/2   | 10 | 0   | 046 | 44.75 |
| 438-420SR | 4X2       | 6  | 0   | 046 | 68.78 |
| 438-421SR | 4X2-1/2   | 6  | 0   | 046 | 77.41 |
| 438-528SR | 6X2       | 5  | 0   | 046 | 79.20 |
| 438-530SR | 6X3       | 5  | 0   | 046 | 71.31 |
| 438-532SR | 6X4       | 5  | 0   | 046 | 79.20 |

**Reducer (T.T.) Bushing**



**Mipt x Fipt**

|         |             |    |     |     |       |
|---------|-------------|----|-----|-----|-------|
| 439-052 | 3/8X1/4     | 50 | 450 | 040 | 3.37  |
| 439-071 | 1/2X1/8     | 50 | 300 | 040 | 3.37  |
| 439-072 | 1/2X1/4     | 50 | 300 | 040 | 3.37  |
| 439-073 | 1/2X3/8     | 50 | 300 | 040 | 3.37  |
| 439-098 | 3/4X1/4     | 50 | 300 | 040 | 2.08  |
| 439-099 | 3/4X3/8     | 50 | 300 | 040 | 2.08  |
| 439-101 | 3/4X1/2     | 50 | 300 | 040 | 2.08  |
| 439-128 | 1X1/4       | 25 | 150 | 040 | 2.93  |
| 439-130 | 1X1/2       | 50 | 300 | 040 | 2.93  |
| 439-131 | 1X3/4       | 50 | 800 | 040 | 2.93  |
| 439-166 | 1-1/4X1/2   | 25 | 150 | 040 | 4.36  |
| 439-167 | 1-1/4X3/4   | 25 | 150 | 040 | 4.36  |
| 439-168 | 1-1/4X1     | 25 | 150 | 040 | 4.36  |
| 439-209 | 1-1/2X1/2   | 25 | 300 | 040 | 5.26  |
| 439-210 | 1-1/2X3/4   | 25 | 300 | 040 | 5.26  |
| 439-211 | 1-1/2X1     | 25 | 300 | 040 | 5.26  |
| 439-212 | 1-1/2X1-1/4 | 25 | 300 | 040 | 5.26  |
| 439-247 | 2X1/2       | 10 | 60  | 040 | 5.63  |
| 439-248 | 2X3/4       | 10 | 60  | 040 | 5.63  |
| 439-249 | 2X1         | 10 | 60  | 040 | 5.63  |
| 439-250 | 2X1-1/4     | 10 | 60  | 040 | 5.63  |
| 439-251 | 2X1-1/2     | 10 | 60  | 040 | 5.63  |
| 439-292 | 2-1/2X2     | 10 | 80  | 040 | 19.69 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

**Reducer (T.T.) Bushing (continued)**

**Mipt x Fipt**

|         |         |    |   |     |       |
|---------|---------|----|---|-----|-------|
| 439-337 | 3X1-1/2 | 10 | 0 | 040 | 23.29 |
| 439-338 | 3X2     | 10 | 0 | 040 | 23.29 |
| 439-339 | 3X2-1/2 | 10 | 0 | 040 | 23.29 |
| 439-420 | 4X2     | 6  | 0 | 040 | 69.62 |
| 439-422 | 4X3     | 6  | 0 | 040 | 53.84 |

**Reducer Bushing - Special Reinforced Flush Style**



**Mipt X SR Fipt - Stainless Steel Collar**

|           |           |    |     |     |       |
|-----------|-----------|----|-----|-----|-------|
| 439-209SR | 1-1/2X1/2 | 25 | 300 | 046 | 9.68  |
| 439-210SR | 1-1/2X3/4 | 25 | 300 | 046 | 9.68  |
| 439-247SR | 2X1/2     | 10 | 60  | 046 | 5.63  |
| 439-248SR | 2X3/4     | 10 | 60  | 046 | 8.77  |
| 439-249SR | 2X1       | 10 | 120 | 046 | 14.22 |
| 439-420SR | 4X2       | 6  | 0   | 046 | 53.84 |

**Caps**



**Cap**

**Socket**

|          |       |    |      |     |         |
|----------|-------|----|------|-----|---------|
| 447-003  | 3/8   | 50 | 1000 | 040 | 1.82    |
| 447-005  | 1/2   | 50 | 300  | 040 | .64     |
| 447-007  | 3/4   | 50 | 300  | 040 | .75     |
| 447-010  | 1     | 50 | 200  | 040 | 1.18    |
| 447-012  | 1-1/4 | 25 | 100  | 040 | 1.67    |
| 447-015  | 1-1/2 | 25 | 0    | 040 | 1.82    |
| 447-020  | 2     | 25 | 0    | 040 | 2.19    |
| 447-025  | 2-1/2 | 10 | 0    | 040 | 6.99    |
| 447-030  | 3     | 10 | 0    | 040 | 7.63    |
| 447-040  | 4     | 6  | 0    | 040 | 17.36   |
| 447-045F | 4-1/2 | 10 | 0    | 047 | 55.81   |
| 447-050  | 5     | 5  | 0    | 040 | 29.17   |
| 447-060  | 6     | 4  | 0    | 040 | 41.63   |
| 447-080  | 8     | 3  | 0    | 040 | 104.58  |
| 447-100F | 10    | 1  | 5    | 047 | 233.12  |
| 447-120F | 12    | 1  | 5    | 047 | 338.68  |
| 447-140F | 14    | 1  | 2    | 047 | 425.05  |
| 447-160F | 16    | 1  | 2    | 047 | 507.33  |
| 447-180F | 18    | 1  | 2    | 047 | 893.96  |
| 447-200F | 20    | 1  | 0    | 047 | 1357.46 |
| 447-240F | 24    | 1  | 0    | 047 | 2160.57 |

**Cap**

**Fipt**



|         |     |    |      |     |      |
|---------|-----|----|------|-----|------|
| 448-003 | 3/8 | 50 | 1000 | 040 | 2.45 |
| 448-005 | 1/2 | 50 | 300  | 040 | 1.35 |
| 448-007 | 3/4 | 50 | 300  | 040 | 1.56 |
| 448-010 | 1   | 50 | 200  | 040 | 2.36 |