

**Schedule 40 Fittings Product**  
**PVC Schedule 40 Fittings**



**Adapters**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Female Spigot Adapter**

**Spigot x Fipt**



478-005	1/2	50	600	040	.94
478-007	3/4	25	300	040	1.11
478-010	1	50	0	040	1.77
478-012	1-1/4	25	0	040	2.47
478-015	1-1/2	20	0	040	3.06
478-020	2	20	0	040	4.48
478-030	3	10	0	040	15.22
478-040	4	5	0	040	25.27

**Female Spigot Adapter - Special Reinforced**

**Spigot x SR Fipt - Stainless Steel Collar**



478-005SR	1/2	50	600	046	4.76
478-007SR	3/4	25	300	046	5.61
478-010SR	1	50	0	046	8.64
478-012SR	1-1/4	25	0	046	13.76
478-015SR	1-1/2	25	0	046	16.49
478-020SR	2	15	0	046	27.46
478-030SR	3	5	0	046	50.48
478-040SR	4	5	0	046	77.97

**Female Spigot Adapter - Special Reinforced Reducing**

**Spigot x SR Fipt - Stainless Steel Collar**



478-072SR	1/2X1/4	25	450	046	13.24
478-098SR	3/4X1/4	50	300	046	19.28
478-128SR	1X1/4	50	400	046	19.87

Spears® SR Series reinforced spigot adapters can be user-installed in a variety of socket type tees, elbows and reducer bushings for superior thread reinforcement demanding applications.

**Riser Extensions**

**Riser Extension**

**Fipt x Mipt**



(See also Polyethylene Cut-Off Riser Extensions in this catalog)

434-005	1/2	50	300	040	1.38
434-007	3/4	50	300	040	2.31
434-010	1	50	0	040	2.88

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Riser Extension - Polyethylene Cut-Off**

**Fipt x Mipt**



(1/2" = 3-Section Cut-Off; 3/4" = 4-Section Cut-Off)

M434-005-3	1/2X3	50	600	120	1.65
M434-007-4	3/4X4	50	0	120	2.19

High Density Polyethylene - Not NSF-listed - Not pressure rated. For use on open ended irrigation systems.

**Reducer Bushing**

**Reducer Bushing Flush Style**

**Spigot x Socket**



437-052	3/8X1/4	50	450	040	1.38
437-072	1/2X1/4	50	300	040	1.42
437-073	1/2X3/8	50	300	040	1.42
437-101	3/4X1/2	50	300	040	.79
437-130	1X1/2	50	300	040	1.42
437-131	1X3/4	50	300	040	1.42
437-166	1-1/4X1/2	25	300	040	1.92
437-167	1-1/4X3/4	25	300	040	1.92
437-168	1-1/4X1	25	300	040	1.92
437-209	1-1/2X1/2	25	200	040	2.03
437-210	1-1/2X3/4	25	200	040	2.03
437-211	1-1/2X1	25	200	040	2.03
437-212	1-1/2X1-1/4	25	200	040	2.03
437-247	2X1/2	10	120	040	3.35
437-248	2X3/4	10	60	040	3.35
437-249	2X1	10	60	040	3.35
437-250	2X1-1/4	10	120	040	3.35
437-251	2X1-1/2	25	0	040	3.35
437-287	2-1/2X1/2	10	80	040	5.39
437-288	2-1/2X3/4	10	40	040	5.39
437-289	2-1/2X1	10	40	040	5.39
437-290	2-1/2X1-1/4	10	40	040	5.39
437-291	2-1/2X1-1/2	10	40	040	5.39
437-292	2-1/2X2	10	80	040	5.39
437-333	3X1/2	10	0	040	10.60
437-334	3X3/4	10	0	040	7.94
437-335	3X1	10	0	040	7.94
437-336	3X1-1/4	10	0	040	7.94
437-337	3X1-1/2	10	0	040	7.94
437-338	3X2	10	0	040	7.94
437-339	3X2-1/2	15	0	040	7.94
437-417 <sup>1</sup>	4X1	6	0	040	21.54
437-418 <sup>1</sup>	4X1-1/4	6	0	040	21.76
437-419	4X1-1/2	6	0	040	21.76
437-420	4X2	6	0	040	17.76
437-421	4X2-1/2	6	0	040	17.76
437-422	4X3	6	0	040	17.76
437-486	5X2	5	0	040	24.98