



PVC Gray Schedule 40 Fittings & Cement



PRODUCT

Contact Spears® for any Information not found.

Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings



PVC-21 Blue Medium Body PVC Cement

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
PVC21B-005	1/4 Pint	24	0	705	8.31
PVC21B-010	1/2 Pint	24	0	705	13.67
PVC21B-020	Pint	12	0	705	23.40
PVC21B-030	Quart	12	0	705	39.32
PVC21B-040	Gallon	6	0	705	135.15

For Technical Information See Solvent Cements

Tee - Gray

Socket x Socket x Socket



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
401-005G	1/2	50	300	043	1.01
401-007G	3/4	50	0	043	1.13
401-010G	1	50	0	043	2.09
401-012G	1-1/4	25	0	043	3.32
401-015G	1-1/2	25	0	043	4.05
401-020G	2	25	0	043	5.83
401-025G	2-1/2	10	0	043	19.31
401-030G	3	10	0	043	25.32
401-040G	4	6	0	043	45.83
401-050G	5	5	0	043	110.76
401-060G	6	4	0	043	154.34
401-080G	8	2	0	043	357.98
401-100G	10	1	0	044	1186.13
401-120G	12	1	0	044	1752.56

Tee - Reducing - Gray

Socket x Socket x Socket



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
401-101G	3/4X1/2	50	0	043	1.31
401-130G	1X1/2	50	0	043	2.22
401-131G	1X3/4	50	0	043	2.40
401-166G	1-1/4X1/2	25	0	043	3.61
401-167G	1-1/4X3/4	25	0	043	3.61
401-168G	1-1/4X1	25	0	043	3.61
401-209G	1-1/2X1/2	25	0	043	6.39
401-210G	1-1/2X3/4	25	0	043	6.39
401-211G	1-1/2X1	25	0	043	6.39
401-212G	1-1/2X1-1/4	25	0	043	6.39
401-247G	2X1/2	10	0	043	6.24
D401-247G	2X1/2	10	0	043	9.08

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Reducing - Gray (continued)

Socket x Socket x Socket

401-248G	2X3/4	10	0	043	6.24
401-249G	2X1	10	0	043	6.24
401-250G	2X1-1/4	10	0	043	6.24
401-251G	2X1-1/2	10	0	043	6.24
401-337G	3X1-1/2	10	0	043	27.57
401-338G	3X2	6	0	043	27.56
401-420G	4X2	10	0	043	45.83
401-422G	4X3	6	0	043	45.83
401-532G	6X4	2	0	043	154.34
401-585G	8X6	2	0	043	357.96

Tee - Gray

Socket x Socket x Fipt



402-005G	1/2	50	300	043	1.31
402-007G	3/4	50	0	043	2.01
402-010G	1	50	0	043	3.77
402-012G	1-1/4	25	0	043	5.98

Tee - Reducing - Gray

Socket x Socket x Fipt



402-101G	3/4X1/2	50	0	043	1.71
402-130G	1X1/2	50	0	043	2.61
402-131G	1X3/4	50	0	043	3.77
402-166G	1-1/4X1/2	25	0	043	6.24
402-167G	1-1/4X3/4	25	0	043	6.24
402-168G	1-1/4X1	25	0	043	6.24
402-199G	1-1/2X1-1/4X1/2	25	0	043	7.75
402-209G	1-1/2X1/2	25	0	043	7.75
402-210G	1-1/2X3/4	25	0	043	7.75
402-211G	1-1/2X1-1/2X1	25	0	043	7.75
402-212G	1-1/2X1-1/4	25	0	043	7.75
402-247G	2X1/2	10	0	043	9.77
402-248G	2X3/4	10	0	043	9.77
402-249G	2X1	10	0	043	9.77
402-250G	2X1-1/4	10	0	043	9.77
402-251G	2X1-1/2	10	0	043	9.77



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Gray

Fipt x Fipt x Fipt



405-005G	1/2	50	0	043	3.60
405-007G	3/4	50	0	043	5.66
405-010G	1	50	0	043	7.85
405-012G	1-1/4	25	0	043	10.87
405-015G	1-1/2	25	0	043	11.18
405-020G	2	10	0	043	14.81

90° Ell - Gray

Socket x Socket



406-003G	3/8	50	600	043	3.97
406-005G	1/2	50	400	043	.80
406-007G	3/4	50	300	043	.88
406-010G	1	50	0	043	1.60
406-012G	1-1/4	25	0	043	2.81
406-015G	1-1/2	25	0	043	2.97
406-020G	2	25	0	043	4.80
406-025G	2-1/2	10	0	043	14.40
406-030G	3	10	0	043	17.26
406-040G	4	8	0	043	30.88
406-050G	5	4	0	043	79.83
406-060G	6	4	0	043	98.24
406-080G	8	2	0	043	253.00
406-100G	10	1	0	044	952.78
406-120G	12	1	0	044	1277.91

90° Ell - Reducing

Socket x Socket



406-101G	3/4X1/2	50	0	043	1.60
406-130G	1X1/2	50	0	043	2.37

90° Ell - Gray

Socket x Fipt



407-005G	1/2	50	400	043	1.01
407-007G	3/4	50	300	043	1.13
407-010G	1	50	0	043	2.09
407-012G	1-1/4	25	0	043	3.54
407-015G	1-1/2	25	0	043	3.93
407-020G	2	10	0	043	10.15

90° Ell - Reducing - Gray

Socket x Fipt



407-101G	3/4X1/2	50	300	043	1.19
----------	---------	----	-----	-----	------

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Gray

Fipt x Fipt



408-005G	1/2	50	400	043	1.93
408-007G	3/4	50	0	043	2.86
408-010G	1	50	0	043	6.04
408-012G	1-1/4	25	0	043	6.47
408-015G	1-1/2	25	0	043	8.18
408-020G	2	10	0	043	12.42

90° Street Ell - Gray

Spigot x Socket



409-005G	1/2	50	400	043	2.22
409-007G	3/4	50	0	043	2.74
409-010G	1	50	0	043	4.75
409-012G	1-1/4	25	0	043	5.66
409-015G	1-1/2	25	0	043	6.24

90° Street Ell - Sweep, Gray

Socket x Spigot



409-030SG	3	10	0	040	38.40
-----------	---	----	---	-----	-------

90° Street Ell - Gray

Mipt x Socket



410-005G	1/2	50	400	043	1.71
410-007G	3/4	50	0	043	2.01

90° Street Ell - Gray

Mipt x Fipt



412-005G	1/2	50	600	043	2.35
412-007G	3/4	50	0	043	2.86
412-010G	1	50	0	043	4.87
412-015G	1-1/2	25	0	043	6.57

22-1/2° Ell - Gray

Socket x Socket



416-060GF	6	1	5	045	102.22
416-120GF	12	1	2	045	328.40

Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

45° Ell - Gray

Socket x Socket



417-005G	1/2	50	400	043	1.32
417-007G	3/4	50	300	043	2.01
417-010G	1	50	0	043	2.40
417-012G	1-1/4	25	0	043	3.44
417-015G	1-1/2	25	0	043	4.26
417-020G	2	25	0	043	5.56
417-025G	2-1/2	10	0	043	14.41
417-030G	3	10	0	043	22.41
417-040G	4	5	0	043	40.27
417-050G	5	5	0	043	79.83
417-060G	6	8	0	043	99.42
417-080G	8	3	0	043	239.11

Cross - Gray

Socket x Socket x Socket x Socket



420-005G	1/2	50	0	043	3.03
420-007G	3/4	50	0	043	5.01
420-010G	1	50	0	043	6.24
420-012G	1-1/4	25	0	043	8.26
420-015G	1-1/2	25	0	043	9.36
420-020G	2	10	0	043	13.83
420-025G	2-1/2	10	0	043	29.33
420-030G	3	5	0	043	35.96
420-040G	4	4	0	043	53.31

Coupling - Gray

Socket x Socket



429-005G	1/2	50	600	043	.54
429-007G	3/4	50	400	043	.75
429-010G	1	50	0	043	1.27
429-012G	1-1/4	25	150	043	1.71
429-015G	1-1/2	25	0	043	1.85
429-020G	2	25	0	043	2.89
429-025G	2-1/2	12	0	043	6.24
429-030G	3	10	0	043	9.80
429-040G	4	6	0	043	14.16
429-050G	5	5	0	043	25.94
429-060G	6	5	0	043	44.84
429-080G	8	8	0	043	83.71

Coupling - Reducer - Gray

Socket x Socket



429-101G	3/4X1/2	50	200	043	1.31
429-131G	1X3/4	50	0	043	2.22

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Reducer - Gray (continued)

Socket x Socket

429-168G	1-1/4X1	25	0	043	3.77
429-212G	1-1/2X1-1/4	25	0	043	3.97
429-251G	2X1-1/2	10	80	043	6.31
429-338G	3X2	8	0	043	32.23
429-422G	4X3	4	0	043	42.49

Coupling - Gray

Fipt x Fipt



430-005G	1/2	50	300	043	1.02
430-007G	3/4	50	400	043	1.87
430-010G	1	50	0	043	2.40

Female Adapter - Gray

Socket x Fipt



435-005G	1/2	50	600	043	.88
435-007G	3/4	50	400	043	1.13
435-010G	1	50	0	043	1.32
435-012G	1-1/4	25	0	043	2.01
435-015G	1-1/2	25	0	043	2.35
435-020G	2	10	80	043	3.14
435-025G	2-1/2	10	0	043	7.91
435-030G	3	5	0	043	10.60
435-040G	4	6	0	043	17.56
435-050G	5	5	0	043	45.45
435-060G	6	5	0	043	64.56

Female Adapter - Reducing - Gray

Socket x Fipt



435-073G	1/2X3/8	50	600	043	1.60
435-101G	3/4X1/2	50	400	043	1.60
435-131G	1X3/4	50	0	043	2.09

Female Adapter - Spigot - Gray

Spigot x Fipt



478-005G	1/2	50	600	043	1.02
478-007G	3/4	25	300	043	1.18
478-010G	1	50	0	043	1.89
478-012G	1-1/4	25	0	043	2.59
478-015G	1-1/2	20	0	043	3.23
478-020G	2	20	0	043	4.75
478-030G	3	10	0	043	16.09
478-040G	4	5	0	043	26.66

Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

Effective 06/26/2017 See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Male Adapter - Gray

Mipt x Socket



436-005G	1/2	50	300	043	.69
436-007G	3/4	50	400	043	.80
436-010G	1	50	300	043	1.41
436-012G	1-1/4	25	200	043	1.71
436-015G	1-1/2	25	0	043	2.35
436-020G	2	25	0	043	3.03
436-025G	2-1/2	10	0	043	8.97
436-030G	3	10	0	043	13.15
436-040G	4	5	0	043	16.75
436-050G	5	5	0	043	27.60
436-060G	6	7	0	043	43.72

Male Adapter - Reducing - Gray

Mipt x Socket



436-074G	1/2X3/4	50	200	043	1.41
436-101G	3/4X1/2	50	300	043	1.31

Reducer Bushing Flush Style - Gray

Spigot x Socket



437-101G	3/4X1/2	50	300	043	.83
437-130G	1X1/2	50	200	043	1.53
437-131G	1X3/4	50	300	043	1.53
437-166G	1-1/4X1/2	25	300	043	2.01
437-167G	1-1/4X3/4	25	300	043	2.01
437-168G	1-1/4X1	25	300	043	2.01
437-209G	1-1/2X1/2	25	200	043	2.14
437-210G	1-1/2X3/4	25	200	043	2.14
437-211G	1-1/2X1	25	200	043	2.14
437-212G	1-1/2X1-1/4	25	200	043	2.14
437-247G	2X1/2	10	120	043	3.54
437-248G	2X3/4	10	120	043	3.54
437-249G	2X1	10	60	043	3.54
437-250G	2X1-1/4	10	120	043	3.54
437-251G	2X1-1/2	25	0	043	3.54
437-290G	2-1/2X1-1/4	10	40	043	5.67
437-291G	2-1/2X1-1/2	10	0	043	5.67
437-292G	2-1/2X2	10	80	043	5.67
437-334G	3X3/4	10	0	043	8.40
437-335G	3X1	10	0	043	8.40
437-336G	3X1-1/4	10	0	043	8.40
437-337G	3X1-1/2	10	0	043	8.40
437-338G	3X2	10	0	043	8.40
437-339G	3X2-1/2	10	0	043	8.40
437-420G	4X2	6	0	043	18.77
437-421G	4X2-1/2	6	0	043	18.77
437-422G	4X3	6	0	043	18.77

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Reducer Bushing Flush Style - Gray (continued)

Spigot x Socket

437-490G	5X4	5	0	043	26.36
437-532G	6X4	5	0	043	46.40
437-534G	6X5	5	0	043	46.47
437-582G	8X4	4	0	043	161.92
437-585G	8X6	4	0	043	161.92

Reducer Bushing Flush Style - Gray

Spigot x Fipt



438-072G	1/2X1/4	50	300	043	1.71
438-073G	1/2X3/8	50	300	043	1.71
438-098G	3/4X1/4	50	300	043	1.71
438-101G	3/4X1/2	50	300	043	1.31
438-130G	1X1/2	50	200	043	2.09
438-131G	1X3/4	50	300	043	2.09
438-166G	1-1/4X1/2	25	150	043	3.27
438-167G	1-1/4X3/4	25	300	043	3.27
438-168G	1-1/4X1	25	100	043	3.27
438-209G	1-1/2X1/2	25	100	043	3.77
438-210G	1-1/2X3/4	25	100	043	3.77
438-211G	1-1/2X1	25	100	043	3.77
438-212G	1-1/2X1-1/4	25	100	043	3.77
438-247G	2X1/2	10	80	043	5.01
438-248G	2X3/4	10	80	043	5.01
438-249G	2X1	10	120	043	5.01
438-250G	2X1-1/4	10	120	043	5.01
438-251G	2X1-1/2	10	120	043	5.01
438-291G	2-1/2X1-1/2	10	0	043	7.27
438-292G	2-1/2X2	10	40	043	7.27
438-338G	3X2	10	0	043	8.40
438-420G	4X2	6	0	043	18.72
438-422G	4X3	6	0	043	18.72
438-490G	5X4	4	0	043	36.48
438-532G	6X4	5	0	043	68.54

Reducer (T.T.) Bushing - Gray

Mipt x Fipt



439-101G	3/4X1/2	50	300	043	2.35
439-130G	1X1/2	50	300	043	3.27
439-131G	1X3/4	50	200	043	3.27
439-166G	1-1/4X1/2	25	300	043	4.84
439-167G	1-1/4X3/4	25	300	043	4.84
439-168G	1-1/4X1	25	150	043	4.84
439-210G	1-1/2X3/4	25	100	043	5.83
439-211G	1-1/2X1	25	100	043	5.83
439-212G	1-1/2X1-1/4	25	300	043	5.83
439-249G	2X1	10	60	043	6.24
439-250G	2X1-1/4	10	120	043	6.24
439-251G	2X1-1/2	10	60	043	6.24

Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cap - Gray



Socket

447-003G	3/8	50	300	043	2.01
447-005G	1/2	50	300	043	.75
447-007G	3/4	50	300	043	.84
447-010G	1	50	200	043	1.32
447-012G	1-1/4	25	100	043	1.85
447-015G	1-1/2	25	0	043	2.01
447-020G	2	10	80	043	2.44
447-025G	2-1/2	10	0	043	7.78
447-030G	3	10	0	043	8.47
447-040G	4	6	0	043	19.31
447-050G	5	5	0	043	32.40
447-060G	6	4	0	043	46.26
447-080G	8	3	0	043	117.23

Cap - Gray



Fipt

448-003G	3/8	50	300	043	2.74
448-005G	1/2	50	300	043	1.53
448-007G	3/4	50	300	043	1.72
448-010G	1	50	200	043	2.61
448-012G	1-1/4	25	100	043	3.12
448-015G	1-1/2	25	100	043	3.27
448-020G	2	10	120	043	5.77
448-030G	3	10	0	043	11.11
448-040G	4	6	0	043	19.44

Plug - Gray



Spigot

449-005G	1/2	50	300	043	1.71
449-007G	3/4	50	300	043	2.01
449-010G	1	50	200	043	2.40
449-012G	1-1/4	25	150	043	3.27
449-015G	1-1/2	25	100	043	4.14
449-020G	2	10	120	043	5.14
449-030G	3	10	0	043	11.61

Plug - Gray



Mipt

450-003G	3/8	50	300	043	2.20
450-005G	1/2	50	400	043	2.14
450-007G	3/4	50	300	043	2.34
450-010G	1	50	400	043	3.77
450-012G	1-1/4	25	300	043	3.94
450-015G	1-1/2	25	100	043	4.25

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Plug - Gray (continued)

Mipt

450-020G	2	10	120	043	5.45
450-025G	2-1/2	10	80	043	7.57
450-030G	3	10	0	043	11.49
450-040G	4	6	0	043	25.92

Wye - Gray



Socket x Socket x Socket

100 psi maximum internal pressure rating @ 73°F (23°C)

475-100G	10	1	0	044	1581.46
475-120G	12	1	0	044	2336.76

Union - Socket/Buna - Gray



Socket x Socket with Buna-N O-ring Seal

150 psi @ 73°F (23°C)

457-005G	1/2	20	120	043	7.75
457-007G	3/4	15	90	043	8.88
457-010G	1	10	60	043	9.08
457-012G	1-1/4	5	20	043	29.31
457-015G	1-1/2	5	20	043	30.55
457-020G	2	5	0	043	41.18

Union - Socket/EPDM - Gray



Socket x Socket with EPDM O-ring Seal

150 psi @ 73°F (23°C)

497-005G	1/2	20	120	043	8.55
497-007G	3/4	15	90	043	9.77
497-010G	1	10	60	043	9.98
497-012G	1-1/4	5	30	043	32.22
497-015G	1-1/2	5	20	043	33.62
497-020G	2	5	0	043	45.29

Union - FIPT/Buna - Gray



FIPT x FIPT with Buna-N O-ring Seal

150 psi @ 73°F (23°C)

458-005G	1/2	20	120	043	8.69
458-007G	3/4	15	90	043	14.54
458-010G	1	10	60	043	19.82
458-012G	1-1/4	5	20	043	34.07
458-015G	1-1/2	5	30	043	34.81
458-020G	2	5	0	043	42.75



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Union - Fipt/EPDM - Gray

Fipt x Fipt with EPDM O-ring Seal



150 psi @ 73°F (23°C)

498-005G	1/2	10	60	043	9.55
498-007G	3/4	15	90	043	15.99
498-010G	1	10	60	043	21.78
498-012G	1-1/4	5	30	043	37.38
498-015G	1-1/2	5	30	043	38.37
498-020G	2	5	0	043	47.03