



PVC Gray Schedule 40 Fittings & Cement



PRODUCT

Contact Spears® for any Information not found.

Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings



PVC-21 Blue Medium Body PVC Cement

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|----------|--------|----------|-----------|--------|
| PVC21B-005 | 1/4 Pint | 24 | 0 | 705 | 8.75 |
| PVC21B-010 | 1/2 Pint | 24 | 0 | 705 | 14.39 |
| PVC21B-020 | Pint | 12 | 0 | 705 | 24.63 |
| PVC21B-030 | Quart | 12 | 0 | 705 | 41.39 |
| PVC21B-040 | Gallon | 6 | 0 | 705 | 142.26 |

For Technical Information See Solvent Cements

Tee - Gray

Socket x Socket x Socket



| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|-------|--------|----------|-----------|---------|
| 401-005G | 1/2 | 50 | 300 | 043 | 1.06 |
| 401-007G | 3/4 | 50 | 0 | 043 | 1.19 |
| 401-010G | 1 | 50 | 0 | 043 | 2.20 |
| 401-012G | 1-1/4 | 25 | 0 | 043 | 3.49 |
| 401-015G | 1-1/2 | 25 | 0 | 043 | 4.26 |
| 401-020G | 2 | 25 | 0 | 043 | 6.14 |
| 401-025G | 2-1/2 | 10 | 0 | 043 | 20.33 |
| 401-030G | 3 | 10 | 0 | 043 | 26.65 |
| 401-040G | 4 | 6 | 0 | 043 | 48.24 |
| 401-050G | 5 | 5 | 0 | 043 | 116.59 |
| 401-060G | 6 | 4 | 0 | 043 | 162.46 |
| 401-080G | 8 | 2 | 0 | 043 | 376.82 |
| 401-100G | 10 | 1 | 0 | 044 | 1248.56 |
| 401-120G | 12 | 1 | 0 | 044 | 1844.80 |

Tee - Reducing - Gray

Socket x Socket x Socket



| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|-------------|--------|----------|-----------|------|
| 401-101G | 3/4X1/2 | 50 | 0 | 043 | 1.38 |
| 401-130G | 1X1/2 | 50 | 0 | 043 | 2.34 |
| 401-131G | 1X3/4 | 50 | 0 | 043 | 2.53 |
| 401-166G | 1-1/4X1/2 | 25 | 0 | 043 | 3.80 |
| 401-167G | 1-1/4X3/4 | 25 | 0 | 043 | 3.80 |
| 401-168G | 1-1/4X1 | 25 | 0 | 043 | 3.80 |
| 401-209G | 1-1/2X1/2 | 25 | 0 | 043 | 6.73 |
| 401-210G | 1-1/2X3/4 | 25 | 0 | 043 | 6.73 |
| 401-211G | 1-1/2X1 | 25 | 0 | 043 | 6.73 |
| 401-212G | 1-1/2X1-1/4 | 25 | 0 | 043 | 6.73 |
| 401-247G | 2X1/2 | 10 | 0 | 043 | 6.57 |
| D401-247G | 2X1/2 | 10 | 0 | 043 | 9.56 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Tee - Reducing - Gray (continued)

Socket x Socket x Socket

| | | | | | |
|----------|---------|----|---|-----|--------|
| 401-248G | 2X3/4 | 10 | 0 | 043 | 6.57 |
| 401-249G | 2X1 | 10 | 0 | 043 | 6.57 |
| 401-250G | 2X1-1/4 | 10 | 0 | 043 | 6.57 |
| 401-251G | 2X1-1/2 | 10 | 0 | 043 | 6.57 |
| 401-337G | 3X1-1/2 | 10 | 0 | 043 | 29.02 |
| 401-338G | 3X2 | 6 | 0 | 043 | 29.01 |
| 401-420G | 4X2 | 10 | 0 | 043 | 48.24 |
| 401-422G | 4X3 | 6 | 0 | 043 | 48.24 |
| 401-532G | 6X4 | 2 | 0 | 043 | 162.46 |
| 401-585G | 8X6 | 2 | 0 | 043 | 376.80 |

Tee - Gray

Socket x Socket x Fipt



| | | | | | |
|----------|-------|----|-----|-----|------|
| 402-005G | 1/2 | 50 | 300 | 043 | 1.38 |
| 402-007G | 3/4 | 50 | 0 | 043 | 2.12 |
| 402-010G | 1 | 50 | 0 | 043 | 3.97 |
| 402-012G | 1-1/4 | 25 | 0 | 043 | 6.29 |

Tee - Reducing - Gray

Socket x Socket x Fipt



| | | | | | |
|----------|-----------------|----|---|-----|-------|
| 402-101G | 3/4X1/2 | 50 | 0 | 043 | 1.80 |
| 402-130G | 1X1/2 | 50 | 0 | 043 | 2.75 |
| 402-131G | 1X3/4 | 50 | 0 | 043 | 3.97 |
| 402-166G | 1-1/4X1/2 | 25 | 0 | 043 | 6.57 |
| 402-167G | 1-1/4X3/4 | 25 | 0 | 043 | 6.57 |
| 402-168G | 1-1/4X1 | 25 | 0 | 043 | 6.57 |
| 402-199G | 1-1/2X1-1/4X1/2 | 25 | 0 | 043 | 8.16 |
| 402-209G | 1-1/2X1/2 | 25 | 0 | 043 | 8.16 |
| 402-210G | 1-1/2X3/4 | 25 | 0 | 043 | 8.16 |
| 402-211G | 1-1/2X1-1/2X1 | 25 | 0 | 043 | 8.16 |
| 402-212G | 1-1/2X1-1/4 | 25 | 0 | 043 | 8.16 |
| 402-247G | 2X1/2 | 10 | 0 | 043 | 10.28 |
| 402-248G | 2X3/4 | 10 | 0 | 043 | 10.28 |
| 402-249G | 2X1 | 10 | 0 | 043 | 10.28 |
| 402-250G | 2X1-1/4 | 10 | 0 | 043 | 10.28 |
| 402-251G | 2X1-1/2 | 10 | 0 | 043 | 10.28 |



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Tee - Gray

Fipt x Fipt x Fipt



| | | | | | |
|----------|-------|----|---|-----|-------|
| 405-005G | 1/2 | 50 | 0 | 043 | 3.79 |
| 405-007G | 3/4 | 50 | 0 | 043 | 5.96 |
| 405-010G | 1 | 50 | 0 | 043 | 8.26 |
| 405-012G | 1-1/4 | 25 | 0 | 043 | 11.44 |
| 405-015G | 1-1/2 | 25 | 0 | 043 | 11.77 |
| 405-020G | 2 | 10 | 0 | 043 | 15.59 |

90° Ell - Gray

Socket x Socket



| | | | | | |
|----------|-------|----|-----|-----|---------|
| 406-003G | 3/8 | 50 | 600 | 043 | 4.18 |
| 406-005G | 1/2 | 50 | 400 | 043 | .84 |
| 406-007G | 3/4 | 50 | 300 | 043 | .93 |
| 406-010G | 1 | 50 | 0 | 043 | 1.68 |
| 406-012G | 1-1/4 | 25 | 0 | 043 | 2.96 |
| 406-015G | 1-1/2 | 25 | 0 | 043 | 3.13 |
| 406-020G | 2 | 25 | 0 | 043 | 5.05 |
| 406-025G | 2-1/2 | 10 | 0 | 043 | 15.16 |
| 406-030G | 3 | 10 | 0 | 043 | 18.17 |
| 406-040G | 4 | 8 | 0 | 043 | 32.51 |
| 406-050G | 5 | 4 | 0 | 043 | 84.03 |
| 406-060G | 6 | 4 | 0 | 043 | 103.41 |
| 406-080G | 8 | 2 | 0 | 043 | 266.32 |
| 406-100G | 10 | 1 | 0 | 044 | 1002.93 |
| 406-120G | 12 | 1 | 0 | 044 | 1345.17 |

90° Ell - Reducing

Socket x Socket



| | | | | | |
|----------|---------|----|---|-----|------|
| 406-101G | 3/4X1/2 | 50 | 0 | 043 | 1.68 |
| 406-130G | 1X1/2 | 50 | 0 | 043 | 2.49 |

90° Ell - Gray

Socket x Fipt



| | | | | | |
|----------|-------|----|-----|-----|-------|
| 407-005G | 1/2 | 50 | 400 | 043 | 1.06 |
| 407-007G | 3/4 | 50 | 300 | 043 | 1.19 |
| 407-010G | 1 | 50 | 0 | 043 | 2.20 |
| 407-012G | 1-1/4 | 25 | 0 | 043 | 3.73 |
| 407-015G | 1-1/2 | 25 | 0 | 043 | 4.14 |
| 407-020G | 2 | 10 | 0 | 043 | 10.68 |

90° Ell - Reducing - Gray

Socket x Fipt



| | | | | | |
|----------|---------|----|-----|-----|------|
| 407-101G | 3/4X1/2 | 50 | 300 | 043 | 1.25 |
|----------|---------|----|-----|-----|------|

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

90° Ell - Gray

Fipt x Fipt



| | | | | | |
|----------|-------|----|-----|-----|-------|
| 408-005G | 1/2 | 50 | 400 | 043 | 2.03 |
| 408-007G | 3/4 | 50 | 0 | 043 | 3.01 |
| 408-010G | 1 | 50 | 0 | 043 | 6.36 |
| 408-012G | 1-1/4 | 25 | 0 | 043 | 6.81 |
| 408-015G | 1-1/2 | 25 | 0 | 043 | 8.61 |
| 408-020G | 2 | 10 | 0 | 043 | 13.07 |

90° Street Ell - Gray

Spigot x Socket



| | | | | | |
|----------|-------|----|-----|-----|------|
| 409-005G | 1/2 | 50 | 400 | 043 | 2.34 |
| 409-007G | 3/4 | 50 | 0 | 043 | 2.88 |
| 409-010G | 1 | 50 | 0 | 043 | 5.00 |
| 409-012G | 1-1/4 | 25 | 0 | 043 | 5.96 |
| 409-015G | 1-1/2 | 25 | 0 | 043 | 6.57 |

90° Street Ell - Sweep, Gray

Socket x Spigot



| | | | | | |
|-----------|---|----|---|-----|-------|
| 409-030SG | 3 | 10 | 0 | 040 | 40.42 |
|-----------|---|----|---|-----|-------|

90° Street Ell - Gray

Mipt x Socket



| | | | | | |
|----------|-----|----|-----|-----|------|
| 410-005G | 1/2 | 50 | 400 | 043 | 1.80 |
| 410-007G | 3/4 | 50 | 0 | 043 | 2.12 |

90° Street Ell - Gray

Mipt x Fipt



| | | | | | |
|----------|-------|----|-----|-----|------|
| 412-005G | 1/2 | 50 | 600 | 043 | 2.47 |
| 412-007G | 3/4 | 50 | 0 | 043 | 3.01 |
| 412-010G | 1 | 50 | 0 | 043 | 5.13 |
| 412-015G | 1-1/2 | 25 | 0 | 043 | 6.92 |

22-1/2° Ell - Gray

Socket x Socket



| | | | | | |
|-----------|----|---|---|-----|--------|
| 416-060GF | 6 | 1 | 5 | 045 | 107.60 |
| 416-120GF | 12 | 1 | 2 | 045 | 345.68 |

Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings



| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

45° Ell - Gray

Socket x Socket



| | | | | | |
|----------|-------|----|-----|-----|--------|
| 417-005G | 1/2 | 50 | 400 | 043 | 1.39 |
| 417-007G | 3/4 | 50 | 300 | 043 | 2.12 |
| 417-010G | 1 | 50 | 0 | 043 | 2.53 |
| 417-012G | 1-1/4 | 25 | 0 | 043 | 3.62 |
| 417-015G | 1-1/2 | 25 | 0 | 043 | 4.48 |
| 417-020G | 2 | 25 | 0 | 043 | 5.85 |
| 417-025G | 2-1/2 | 10 | 0 | 043 | 15.17 |
| 417-030G | 3 | 10 | 0 | 043 | 23.59 |
| 417-040G | 4 | 5 | 0 | 043 | 42.39 |
| 417-050G | 5 | 5 | 0 | 043 | 84.03 |
| 417-060G | 6 | 8 | 0 | 043 | 104.65 |
| 417-080G | 8 | 3 | 0 | 043 | 251.69 |

Cross - Gray

Socket x Socket x Socket x Socket



| | | | | | |
|----------|-------|----|---|-----|-------|
| 420-005G | 1/2 | 50 | 0 | 043 | 3.19 |
| 420-007G | 3/4 | 50 | 0 | 043 | 5.27 |
| 420-010G | 1 | 50 | 0 | 043 | 6.57 |
| 420-012G | 1-1/4 | 25 | 0 | 043 | 8.69 |
| 420-015G | 1-1/2 | 25 | 0 | 043 | 9.85 |
| 420-020G | 2 | 10 | 0 | 043 | 14.56 |
| 420-025G | 2-1/2 | 10 | 0 | 043 | 30.87 |
| 420-030G | 3 | 5 | 0 | 043 | 37.85 |
| 420-040G | 4 | 4 | 0 | 043 | 56.12 |

Coupling - Gray

Socket x Socket



| | | | | | |
|----------|-------|----|-----|-----|-------|
| 429-005G | 1/2 | 50 | 600 | 043 | .57 |
| 429-007G | 3/4 | 50 | 400 | 043 | .79 |
| 429-010G | 1 | 50 | 0 | 043 | 1.34 |
| 429-012G | 1-1/4 | 25 | 150 | 043 | 1.80 |
| 429-015G | 1-1/2 | 25 | 0 | 043 | 1.95 |
| 429-020G | 2 | 25 | 0 | 043 | 3.04 |
| 429-025G | 2-1/2 | 12 | 0 | 043 | 6.57 |
| 429-030G | 3 | 10 | 0 | 043 | 10.32 |
| 429-040G | 4 | 6 | 0 | 043 | 14.91 |
| 429-050G | 5 | 5 | 0 | 043 | 27.31 |
| 429-060G | 6 | 5 | 0 | 043 | 47.20 |
| 429-080G | 8 | 8 | 0 | 043 | 88.12 |

Coupling - Reducer - Gray

Socket x Socket



| | | | | | |
|----------|---------|----|-----|-----|------|
| 429-101G | 3/4X1/2 | 50 | 200 | 043 | 1.38 |
| 429-131G | 1X3/4 | 50 | 0 | 043 | 2.34 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Coupling - Reducer - Gray (continued)

Socket x Socket

| | | | | | |
|----------|-------------|----|----|-----|-------|
| 429-168G | 1-1/4X1 | 25 | 0 | 043 | 3.97 |
| 429-212G | 1-1/2X1-1/4 | 25 | 0 | 043 | 4.18 |
| 429-251G | 2X1-1/2 | 10 | 80 | 043 | 6.64 |
| 429-338G | 3X2 | 8 | 0 | 043 | 33.93 |
| 429-422G | 4X3 | 4 | 0 | 043 | 44.73 |

Coupling - Gray

Fipt x Fipt



| | | | | | |
|----------|-----|----|-----|-----|------|
| 430-005G | 1/2 | 50 | 300 | 043 | 1.07 |
| 430-007G | 3/4 | 50 | 400 | 043 | 1.97 |
| 430-010G | 1 | 50 | 0 | 043 | 2.53 |

Female Adapter - Gray

Socket x Fipt



| | | | | | |
|----------|-------|----|-----|-----|-------|
| 435-005G | 1/2 | 50 | 600 | 043 | .93 |
| 435-007G | 3/4 | 50 | 400 | 043 | 1.19 |
| 435-010G | 1 | 50 | 0 | 043 | 1.39 |
| 435-012G | 1-1/4 | 25 | 0 | 043 | 2.12 |
| 435-015G | 1-1/2 | 25 | 0 | 043 | 2.47 |
| 435-020G | 2 | 10 | 80 | 043 | 3.31 |
| 435-025G | 2-1/2 | 10 | 0 | 043 | 8.33 |
| 435-030G | 3 | 5 | 0 | 043 | 11.16 |
| 435-040G | 4 | 6 | 0 | 043 | 18.48 |
| 435-050G | 5 | 5 | 0 | 043 | 47.84 |
| 435-060G | 6 | 5 | 0 | 043 | 67.96 |

Female Adapter - Reducing - Gray

Socket x Fipt



| | | | | | |
|----------|---------|----|-----|-----|------|
| 435-073G | 1/2X3/8 | 50 | 600 | 043 | 1.68 |
| 435-101G | 3/4X1/2 | 50 | 400 | 043 | 1.68 |
| 435-131G | 1X3/4 | 50 | 0 | 043 | 2.20 |

Female Adapter - Spigot - Gray

Spigot x Fipt



| | | | | | |
|----------|-------|----|-----|-----|-------|
| 478-005G | 1/2 | 50 | 600 | 043 | 1.07 |
| 478-007G | 3/4 | 25 | 300 | 043 | 1.24 |
| 478-010G | 1 | 50 | 0 | 043 | 1.99 |
| 478-012G | 1-1/4 | 25 | 0 | 043 | 2.73 |
| 478-015G | 1-1/2 | 20 | 0 | 043 | 3.40 |
| 478-020G | 2 | 20 | 0 | 043 | 5.00 |
| 478-030G | 3 | 10 | 0 | 043 | 16.94 |
| 478-040G | 4 | 5 | 0 | 043 | 28.06 |

Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

Effective 10/01/2018 See MSRP-1 Sheet or Check Spears® On-line Catalog @ www.spearsmfg.com for Pricing



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Male Adapter - Gray

Mipt x Socket



| | | | | | |
|----------|-------|----|-----|-----|-------|
| 436-005G | 1/2 | 50 | 300 | 043 | .73 |
| 436-007G | 3/4 | 50 | 400 | 043 | .84 |
| 436-010G | 1 | 50 | 300 | 043 | 1.48 |
| 436-012G | 1-1/4 | 25 | 200 | 043 | 1.80 |
| 436-015G | 1-1/2 | 25 | 0 | 043 | 2.47 |
| 436-020G | 2 | 25 | 0 | 043 | 3.19 |
| 436-025G | 2-1/2 | 10 | 0 | 043 | 9.44 |
| 436-030G | 3 | 10 | 0 | 043 | 13.84 |
| 436-040G | 4 | 5 | 0 | 043 | 17.63 |
| 436-050G | 5 | 5 | 0 | 043 | 29.05 |
| 436-060G | 6 | 7 | 0 | 043 | 46.02 |

Male Adapter - Reducing - Gray

Mipt x Socket



| | | | | | |
|----------|---------|----|-----|-----|------|
| 436-074G | 1/2X3/4 | 50 | 200 | 043 | 1.48 |
| 436-101G | 3/4X1/2 | 50 | 300 | 043 | 1.38 |

Reducer Bushing Flush Style - Gray

Spigot x Socket



| | | | | | |
|----------|-------------|----|-----|-----|-------|
| 437-101G | 3/4X1/2 | 50 | 300 | 043 | .87 |
| 437-130G | 1X1/2 | 50 | 200 | 043 | 1.61 |
| 437-131G | 1X3/4 | 50 | 300 | 043 | 1.61 |
| 437-166G | 1-1/4X1/2 | 25 | 300 | 043 | 2.12 |
| 437-167G | 1-1/4X3/4 | 25 | 300 | 043 | 2.12 |
| 437-168G | 1-1/4X1 | 25 | 300 | 043 | 2.12 |
| 437-209G | 1-1/2X1/2 | 25 | 200 | 043 | 2.25 |
| 437-210G | 1-1/2X3/4 | 25 | 200 | 043 | 2.25 |
| 437-211G | 1-1/2X1 | 25 | 200 | 043 | 2.25 |
| 437-212G | 1-1/2X1-1/4 | 25 | 200 | 043 | 2.25 |
| 437-247G | 2X1/2 | 10 | 120 | 043 | 3.73 |
| 437-248G | 2X3/4 | 10 | 120 | 043 | 3.73 |
| 437-249G | 2X1 | 10 | 60 | 043 | 3.73 |
| 437-250G | 2X1-1/4 | 10 | 120 | 043 | 3.73 |
| 437-251G | 2X1-1/2 | 25 | 0 | 043 | 3.73 |
| 437-290G | 2-1/2X1-1/4 | 10 | 40 | 043 | 5.97 |
| 437-291G | 2-1/2X1-1/2 | 10 | 0 | 043 | 5.97 |
| 437-292G | 2-1/2X2 | 10 | 80 | 043 | 5.97 |
| 437-334G | 3X3/4 | 10 | 0 | 043 | 8.84 |
| 437-335G | 3X1 | 10 | 0 | 043 | 8.84 |
| 437-336G | 3X1-1/4 | 10 | 0 | 043 | 8.84 |
| 437-337G | 3X1-1/2 | 10 | 0 | 043 | 8.84 |
| 437-338G | 3X2 | 10 | 0 | 043 | 8.84 |
| 437-339G | 3X2-1/2 | 10 | 0 | 043 | 8.84 |
| 437-420G | 4X2 | 6 | 0 | 043 | 19.76 |
| 437-421G | 4X2-1/2 | 6 | 0 | 043 | 19.76 |
| 437-422G | 4X3 | 6 | 0 | 043 | 19.76 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Reducer Bushing Flush Style - Gray (continued)

Spigot x Socket

| | | | | | |
|----------|-----|---|---|-----|--------|
| 437-490G | 5X4 | 5 | 0 | 043 | 27.75 |
| 437-532G | 6X4 | 5 | 0 | 043 | 48.84 |
| 437-534G | 6X5 | 5 | 0 | 043 | 48.92 |
| 437-582G | 8X4 | 4 | 0 | 043 | 170.44 |
| 437-585G | 8X6 | 4 | 0 | 043 | 170.44 |

Reducer Bushing Flush Style - Gray

Spigot x Fipt



| | | | | | |
|----------|-------------|----|-----|-----|-------|
| 438-072G | 1/2X1/4 | 50 | 300 | 043 | 1.80 |
| 438-073G | 1/2X3/8 | 50 | 300 | 043 | 1.80 |
| 438-098G | 3/4X1/4 | 50 | 300 | 043 | 1.80 |
| 438-101G | 3/4X1/2 | 50 | 300 | 043 | 1.38 |
| 438-130G | 1X1/2 | 50 | 200 | 043 | 2.20 |
| 438-131G | 1X3/4 | 50 | 300 | 043 | 2.20 |
| 438-166G | 1-1/4X1/2 | 25 | 150 | 043 | 3.44 |
| 438-167G | 1-1/4X3/4 | 25 | 300 | 043 | 3.44 |
| 438-168G | 1-1/4X1 | 25 | 100 | 043 | 3.44 |
| 438-209G | 1-1/2X1/2 | 25 | 100 | 043 | 3.97 |
| 438-210G | 1-1/2X3/4 | 25 | 100 | 043 | 3.97 |
| 438-211G | 1-1/2X1 | 25 | 100 | 043 | 3.97 |
| 438-212G | 1-1/2X1-1/4 | 25 | 100 | 043 | 3.97 |
| 438-247G | 2X1/2 | 10 | 80 | 043 | 5.27 |
| 438-248G | 2X3/4 | 10 | 80 | 043 | 5.27 |
| 438-249G | 2X1 | 10 | 120 | 043 | 5.27 |
| 438-250G | 2X1-1/4 | 10 | 120 | 043 | 5.27 |
| 438-251G | 2X1-1/2 | 10 | 120 | 043 | 5.27 |
| 438-291G | 2-1/2X1-1/2 | 10 | 0 | 043 | 7.65 |
| 438-292G | 2-1/2X2 | 10 | 40 | 043 | 7.65 |
| 438-338G | 3X2 | 10 | 0 | 043 | 8.84 |
| 438-420G | 4X2 | 6 | 0 | 043 | 19.71 |
| 438-422G | 4X3 | 6 | 0 | 043 | 19.71 |
| 438-490G | 5X4 | 4 | 0 | 043 | 38.40 |
| 438-532G | 6X4 | 5 | 0 | 043 | 72.15 |

Reducer (T.T.) Bushing - Gray

Mipt x Fipt



| | | | | | |
|----------|-------------|----|-----|-----|------|
| 439-101G | 3/4X1/2 | 50 | 300 | 043 | 2.47 |
| 439-130G | 1X1/2 | 50 | 300 | 043 | 3.44 |
| 439-131G | 1X3/4 | 50 | 200 | 043 | 3.44 |
| 439-166G | 1-1/4X1/2 | 25 | 300 | 043 | 5.09 |
| 439-167G | 1-1/4X3/4 | 25 | 300 | 043 | 5.09 |
| 439-168G | 1-1/4X1 | 25 | 150 | 043 | 5.09 |
| 439-210G | 1-1/2X3/4 | 25 | 100 | 043 | 6.14 |
| 439-211G | 1-1/2X1 | 25 | 100 | 043 | 6.14 |
| 439-212G | 1-1/2X1-1/4 | 25 | 300 | 043 | 6.14 |
| 439-249G | 2X1 | 10 | 60 | 043 | 6.57 |
| 439-250G | 2X1-1/4 | 10 | 120 | 043 | 6.57 |
| 439-251G | 2X1-1/2 | 10 | 60 | 043 | 6.57 |

Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings



| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Cap - Gray



Socket

| | | | | | |
|----------|-------|----|-----|-----|--------|
| 447-003G | 3/8 | 50 | 300 | 043 | 2.12 |
| 447-005G | 1/2 | 50 | 300 | 043 | .79 |
| 447-007G | 3/4 | 50 | 300 | 043 | .88 |
| 447-010G | 1 | 50 | 200 | 043 | 1.39 |
| 447-012G | 1-1/4 | 25 | 100 | 043 | 1.95 |
| 447-015G | 1-1/2 | 25 | 0 | 043 | 2.12 |
| 447-020G | 2 | 10 | 80 | 043 | 2.57 |
| 447-025G | 2-1/2 | 10 | 0 | 043 | 8.19 |
| 447-030G | 3 | 10 | 0 | 043 | 8.92 |
| 447-040G | 4 | 6 | 0 | 043 | 20.33 |
| 447-050G | 5 | 5 | 0 | 043 | 34.11 |
| 447-060G | 6 | 4 | 0 | 043 | 48.69 |
| 447-080G | 8 | 3 | 0 | 043 | 123.40 |

Cap - Gray



Fipt

| | | | | | |
|----------|-------|----|-----|-----|-------|
| 448-003G | 3/8 | 50 | 300 | 043 | 2.88 |
| 448-005G | 1/2 | 50 | 300 | 043 | 1.61 |
| 448-007G | 3/4 | 50 | 300 | 043 | 1.81 |
| 448-010G | 1 | 50 | 200 | 043 | 2.75 |
| 448-012G | 1-1/4 | 25 | 100 | 043 | 3.28 |
| 448-015G | 1-1/2 | 25 | 100 | 043 | 3.44 |
| 448-020G | 2 | 10 | 120 | 043 | 6.07 |
| 448-030G | 3 | 10 | 0 | 043 | 11.69 |
| 448-040G | 4 | 6 | 0 | 043 | 20.46 |

Plug - Gray



Spigot

| | | | | | |
|----------|-------|----|-----|-----|-------|
| 449-005G | 1/2 | 50 | 300 | 043 | 1.80 |
| 449-007G | 3/4 | 50 | 300 | 043 | 2.12 |
| 449-010G | 1 | 50 | 200 | 043 | 2.53 |
| 449-012G | 1-1/4 | 25 | 150 | 043 | 3.44 |
| 449-015G | 1-1/2 | 25 | 100 | 043 | 4.36 |
| 449-020G | 2 | 10 | 120 | 043 | 5.41 |
| 449-030G | 3 | 10 | 0 | 043 | 12.22 |

Plug - Gray



Mipt

| | | | | | |
|----------|-------|----|-----|-----|------|
| 450-003G | 3/8 | 50 | 300 | 043 | 2.32 |
| 450-005G | 1/2 | 50 | 400 | 043 | 2.25 |
| 450-007G | 3/4 | 50 | 300 | 043 | 2.46 |
| 450-010G | 1 | 50 | 400 | 043 | 3.97 |
| 450-012G | 1-1/4 | 25 | 300 | 043 | 4.15 |
| 450-015G | 1-1/2 | 25 | 100 | 043 | 4.47 |

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|--------|----------|-----------|------|
|-------------|------|--------|----------|-----------|------|

Plug - Gray (continued)

Mipt

| | | | | | |
|----------|-------|----|-----|-----|-------|
| 450-020G | 2 | 10 | 120 | 043 | 5.74 |
| 450-025G | 2-1/2 | 10 | 80 | 043 | 7.97 |
| 450-030G | 3 | 10 | 0 | 043 | 12.09 |
| 450-040G | 4 | 6 | 0 | 043 | 27.28 |

Wye - Gray



Socket x Socket x Socket

100 psi maximum internal pressure rating @ 73°F (23°C)

| | | | | | |
|----------|----|---|---|-----|---------|
| 475-100G | 10 | 1 | 0 | 044 | 1664.69 |
| 475-120G | 12 | 1 | 0 | 044 | 2459.75 |

Union - Socket/Buna - Gray



Socket x Socket with Buna-N O-ring Seal

150 psi @ 73°F (23°C)

| | | | | | |
|----------|-------|----|-----|-----|-------|
| 457-005G | 1/2 | 20 | 120 | 043 | 8.16 |
| 457-007G | 3/4 | 15 | 90 | 043 | 9.35 |
| 457-010G | 1 | 10 | 60 | 043 | 9.56 |
| 457-012G | 1-1/4 | 5 | 20 | 043 | 30.85 |
| 457-015G | 1-1/2 | 5 | 20 | 043 | 32.16 |
| 457-020G | 2 | 5 | 0 | 043 | 43.35 |

Union - Socket/EPDM - Gray



Socket x Socket with EPDM O-ring Seal

150 psi @ 73°F (23°C)

| | | | | | |
|----------|-------|----|-----|-----|-------|
| 497-005G | 1/2 | 20 | 120 | 043 | 9.00 |
| 497-007G | 3/4 | 15 | 90 | 043 | 10.28 |
| 497-010G | 1 | 10 | 60 | 043 | 10.51 |
| 497-012G | 1-1/4 | 5 | 30 | 043 | 33.92 |
| 497-015G | 1-1/2 | 5 | 20 | 043 | 35.39 |
| 497-020G | 2 | 5 | 0 | 043 | 47.67 |

Union - FIPT/Buna - Gray



FIPT x FIPT with Buna-N O-ring Seal

150 psi @ 73°F (23°C)

| | | | | | |
|----------|-------|----|-----|-----|-------|
| 458-005G | 1/2 | 20 | 120 | 043 | 9.15 |
| 458-007G | 3/4 | 15 | 90 | 043 | 15.31 |
| 458-010G | 1 | 10 | 60 | 043 | 20.86 |
| 458-012G | 1-1/4 | 5 | 20 | 043 | 35.86 |
| 458-015G | 1-1/2 | 5 | 30 | 043 | 36.64 |
| 458-020G | 2 | 5 | 0 | 043 | 45.00 |



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-------------|------|-----------|-------------|--------------|------|
|-------------|------|-----------|-------------|--------------|------|

Union - Fipt/EPDM - Gray

Fipt x Fipt with EPDM O-ring Seal



150 psi @ 73°F (23°C)

| | | | | | |
|----------|--------------|----|----|-----|-------|
| 498-005G | 1/2 | 10 | 60 | 043 | 10.05 |
| 498-007G | 3/4 | 15 | 90 | 043 | 16.83 |
| 498-010G | 1 | 10 | 60 | 043 | 22.93 |
| 498-012G | 1-1/4 | 5 | 30 | 043 | 39.35 |
| 498-015G | 1-1/2 | 5 | 30 | 043 | 40.39 |
| 498-020G | 2 | 5 | 0 | 043 | 49.51 |