



## Schedule 40 Fittings Product PVC Gray Sch 40 Fittings



### PVC-21 Blue Medium Body PVC Cement

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
PVC21B-005	1/4 Pint	24	0	705	7.89
PVC21B-010	1/2 Pint	24	0	705	12.99
PVC21B-020	Pint	12	0	705	22.23
PVC21B-030	Quart	12	0	705	37.35
PVC21B-040	Gallon	6	0	705	128.39

### Tee - Gray

Socket x Socket x Socket



401-005G	1/2	50	300	043	.96
401-007G	3/4	50	0	043	1.07
401-010G	1	50	0	043	1.99
401-012G	1-1/4	25	0	043	3.15
401-015G	1-1/2	25	0	043	3.85
401-020G	2	25	0	043	5.54
401-025G	2-1/2	10	0	043	18.34
401-030G	3	10	0	043	24.05
401-040G	4	6	0	043	43.54
401-050G	5	5	0	043	105.22
401-060G	6	4	0	043	146.62
401-080G	8	2	0	043	340.08
401-100G	10	1	0	044	1126.82
401-120G	12	1	0	044	1664.93

### Tee - Reducing - Gray

Socket x Socket x Socket



401-101G	3/4X1/2	50	0	043	1.24
401-130G	1X1/2	50	0	043	2.11
401-131G	1X3/4	50	0	043	2.28
401-166G	1-1/4X1/2	25	0	043	3.43
401-167G	1-1/4X3/4	25	0	043	3.43
401-168G	1-1/4X1	25	0	043	3.43
401-209G	1-1/2X1/2	25	0	043	6.07
401-210G	1-1/2X3/4	25	0	043	6.07
401-211G	1-1/2X1	25	0	043	6.07
401-212G	1-1/2X1-1/4	25	0	043	6.07
401-247G	2X1/2	10	0	043	5.93
D401-247G	2X1/2	10	0	043	8.63
401-248G	2X3/4	10	0	043	5.93

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

### Tee - Reducing - Gray (continued)

Socket x Socket x Socket

401-249G	2X1	10	0	043	5.93
401-250G	2X1-1/4	10	0	043	5.93
401-251G	2X1-1/2	10	0	043	5.93
401-337G	3X1-1/2	10	0	043	26.19
401-338G	3X2	6	0	043	26.18
401-420G	4X2	10	0	043	43.54
401-422G	4X3	6	0	043	43.54
401-532G	6X4	2	0	043	146.62
401-585G	8X6	2	0	043	340.06

### Tee - Gray

Socket x Socket x Fipt



402-005G	1/2	50	300	043	1.24
402-007G	3/4	50	0	043	1.91
402-010G	1	50	0	043	3.58
402-012G	1-1/4	25	0	043	5.68

### Tee - Reducing - Gray

Socket x Socket x Fipt



402-101G	3/4X1/2	50	0	043	1.62
402-130G	1X1/2	50	0	043	2.48
402-131G	1X3/4	50	0	043	3.58
402-166G	1-1/4X1/2	25	0	043	5.93
402-167G	1-1/4X3/4	25	0	043	5.93
402-168G	1-1/4X1	25	0	043	5.93
402-199G	1-1/2X1-1/4X1/2	25	0	043	7.36
402-209G	1-1/2X1/2	25	0	043	7.36
402-210G	1-1/2X3/4	25	0	043	7.36
402-211G	1-1/2X1-1/2X1	25	0	043	7.36
402-212G	1-1/2X1-1/4	25	0	043	7.36
402-247G	2X1/2	10	0	043	9.28
402-248G	2X3/4	10	0	043	9.28
402-249G	2X1	10	0	043	9.28
402-250G	2X1-1/4	10	0	043	9.28
402-251G	2X1-1/2	10	0	043	9.28

**Schedule 40 Fittings Product**  
**PVC Gray Sch 40 Fittings**



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Tee - Gray**

**Fipt x Fipt x Fipt**



405-005G	1/2	50	0	043	3.42
405-007G	3/4	50	0	043	5.38
405-010G	1	50	0	043	7.46
405-012G	1-1/4	25	0	043	10.33
405-015G	1-1/2	25	0	043	10.62
405-020G	2	10	0	043	14.07

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**90° Ell - Gray**

**Fipt x Fipt**



408-005G	1/2	50	400	043	1.83
408-007G	3/4	50	0	043	2.72
408-010G	1	50	0	043	5.74
408-012G	1-1/4	25	0	043	6.15
408-015G	1-1/2	25	0	043	7.77
408-020G	2	10	0	043	11.80

**90° Ell - Gray**

**Socket x Socket**



406-003G	3/8	50	600	043	3.77
406-005G	1/2	50	400	043	.76
406-007G	3/4	50	300	043	.84
406-010G	1	50	0	043	1.52
406-012G	1-1/4	25	0	043	2.67
406-015G	1-1/2	25	0	043	2.82
406-020G	2	25	0	043	4.56
406-025G	2-1/2	10	0	043	13.68
406-030G	3	10	0	043	16.40
406-040G	4	8	0	043	29.34
406-050G	5	4	0	043	75.84
406-060G	6	4	0	043	93.33
406-080G	8	2	0	043	240.35
406-100G	10	1	0	044	905.14
406-120G	12	1	0	044	1214.01

**90° Street Ell - Gray**

**Spigot x Socket**



409-005G	1/2	50	400	043	2.11
409-007G	3/4	50	0	043	2.60
409-010G	1	50	0	043	4.51
409-012G	1-1/4	25	0	043	5.38
409-015G	1-1/2	25	0	043	5.93

**90° Street Ell - Gray**

**Mipt x Socket**



410-005G	1/2	50	400	043	1.62
410-007G	3/4	50	0	043	1.91

**90° Ell - Reducing**

**Socket x Socket**



406-101G	3/4X1/2	50	0	043	1.52
406-130G	1X1/2	50	0	043	2.25

**90° Street Ell - Gray**

**Mipt x Fipt**



412-005G	1/2	50	600	043	2.23
412-007G	3/4	50	0	043	2.72
412-010G	1	50	0	043	4.63
412-015G	1-1/2	25	0	043	6.24

**90° Ell - Gray**

**Socket x Fipt**



407-005G	1/2	50	400	043	.96
407-007G	3/4	50	300	043	1.07
407-010G	1	50	0	043	1.99
407-012G	1-1/4	25	0	043	3.36
407-015G	1-1/2	25	0	043	3.73
407-020G	2	10	0	043	9.64

**22-1/2° Ell - Gray**

**Socket x Socket**



416-060GF	6	1	5	045	97.11
416-120GF	12	1	2	045	311.98

**45° Ell - Gray**

**Socket x Socket**



417-005G	1/2	50	400	043	1.25
417-007G	3/4	50	300	043	1.91
417-010G	1	50	0	043	2.28
417-012G	1-1/4	25	0	043	3.27
417-015G	1-1/2	25	0	043	4.05

**90° Ell - Reducing - Gray**

**Socket x Fipt**



407-101G	3/4X1/2	50	300	043	1.13
----------	---------	----	-----	-----	------

Made in the U.S.A.

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas  
See MSRP-1 Sheet or Check Spears® On-line Catalog @ [www.spearsmfg.com](http://www.spearsmfg.com) for Pricing



## Schedule 40 Fittings Product PVC Gray Sch 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

### 45° Ell - Gray (continued)

#### Socket x Socket

417-020G	2	25	0	043	5.28
417-025G	2-1/2	10	0	043	13.69
417-030G	3	10	0	043	21.29
417-040G	4	5	0	043	38.26
417-050G	5	5	0	043	75.84
417-060G	6	8	0	043	94.45
417-080G	8	3	0	043	227.15

### Cross - Gray

#### Socket x Socket x Socket x Socket

420-005G	1/2	50	0	043	2.88
420-007G	3/4	50	0	043	4.76
420-010G	1	50	0	043	5.93
420-012G	1-1/4	25	0	043	7.85
420-015G	1-1/2	25	0	043	8.89
420-020G	2	10	0	043	13.14
420-025G	2-1/2	10	0	043	27.86
420-030G	3	5	0	043	34.16
420-040G	4	4	0	043	50.64

### Coupling - Gray

#### Socket x Socket

429-005G	1/2	50	600	043	.51
429-007G	3/4	50	400	043	.71
429-010G	1	50	0	043	1.21
429-012G	1-1/4	25	150	043	1.62
429-015G	1-1/2	25	0	043	1.76
429-020G	2	25	0	043	2.75
429-025G	2-1/2	12	0	043	5.93
429-030G	3	10	0	043	9.31
429-040G	4	6	0	043	13.45
429-050G	5	5	0	043	24.64
429-060G	6	5	0	043	42.60
429-080G	8	8	0	043	79.52

### Coupling - Reducer - Gray

#### Socket x Socket

429-101G	3/4X1/2	50	200	043	1.24
429-131G	1X3/4	50	0	043	2.11
429-168G	1-1/4X1	25	0	043	3.58
429-212G	1-1/2X1-1/4	25	0	043	3.77
429-251G	2X1-1/2	10	80	043	5.99
429-338G	3X2	8	0	043	30.62
429-422G	4X3	4	0	043	40.37

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

### Coupling - Gray

#### Fipt x Fipt

430-005G	1/2	50	300	043	.97
430-007G	3/4	50	400	043	1.78
430-010G	1	50	0	043	2.28

### Female Adapter - Gray

#### Socket x Fipt

435-005G	1/2	50	600	043	.84
435-007G	3/4	50	400	043	1.07
435-010G	1	50	0	043	1.25
435-012G	1-1/4	25	0	043	1.91
435-015G	1-1/2	25	0	043	2.23
435-020G	2	10	80	043	2.98
435-025G	2-1/2	10	0	043	7.51
435-030G	3	5	0	043	10.07
435-040G	4	6	0	043	16.68
435-050G	5	5	0	043	43.18
435-060G	6	5	0	043	61.33

### Female Adapter - Reducing - Gray

#### Socket x Fipt

435-073G	1/2X3/8	50	600	043	1.52
435-101G	3/4X1/2	50	400	043	1.52
435-131G	1X3/4	50	0	043	1.99

### Female Adapter - Spigot - Gray

#### Spigot x Fipt

478-005G	1/2	50	600	043	.97
478-007G	3/4	25	300	043	1.12
478-010G	1	50	0	043	1.80
478-012G	1-1/4	25	0	043	2.46
478-015G	1-1/2	20	0	043	3.07
478-020G	2	20	0	043	4.51
478-030G	3	10	0	043	15.29
478-040G	4	5	0	043	25.33

### Male Adapter - Gray

#### Mipt x Socket

436-005G	1/2	50	300	043	.66
436-007G	3/4	50	400	043	.76
436-010G	1	50	300	043	1.34
436-012G	1-1/4	25	200	043	1.62
436-015G	1-1/2	25	0	043	2.23

**Schedule 40 Fittings Product**  
**PVC Gray Sch 40 Fittings**



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Male Adapter - Gray (continued)</b>					
<b>Mipt x Socket</b>					
436-020G	2	25	0	043	2.88
436-025G	2-1/2	10	0	043	8.52
436-030G	3	10	0	043	12.49
436-040G	4	5	0	043	15.91
436-050G	5	5	0	043	26.22
436-060G	6	7	0	043	41.53

**Male Adapter - Reducing - Gray**

**Mipt x Socket**

436-074G	1/2X3/4	50	200	043	1.34
436-101G	3/4X1/2	50	300	043	1.24

**Reducer Bushing Flush Style - Gray**

**Spigot x Socket**

437-101G	3/4X1/2	50	300	043	.79
437-130G	1X1/2	50	200	043	1.45
437-131G	1X3/4	50	300	043	1.45
437-166G	1-1/4X1/2	25	300	043	1.91
437-167G	1-1/4X3/4	25	300	043	1.91
437-168G	1-1/4X1	25	300	043	1.91
437-209G	1-1/2X1/2	25	200	043	2.03
437-210G	1-1/2X3/4	25	200	043	2.03
437-211G	1-1/2X1	25	200	043	2.03
437-212G	1-1/2X1-1/4	25	200	043	2.03
437-247G	2X1/2	10	120	043	3.36
437-248G	2X3/4	10	120	043	3.36
437-249G	2X1	10	60	043	3.36
437-250G	2X1-1/4	10	120	043	3.36
437-251G	2X1-1/2	25	0	043	3.36
437-290G	2-1/2X1-1/4	10	40	043	5.39
437-291G	2-1/2X1-1/2	10	0	043	5.39
437-292G	2-1/2X2	10	80	043	5.39
437-334G	3X3/4	10	0	043	7.98
437-335G	3X1	10	0	043	7.98
437-336G	3X1-1/4	10	0	043	7.98
437-337G	3X1-1/2	10	0	043	7.98
437-338G	3X2	10	0	043	7.98
437-339G	3X2-1/2	10	0	043	7.98
437-420G	4X2	6	0	043	17.83
437-421G	4X2-1/2	6	0	043	17.83
437-422G	4X3	6	0	043	17.83
437-490G	5X4	5	0	043	25.04
437-532G	6X4	5	0	043	44.08
437-534G	6X5	5	0	043	44.15
437-582G	8X4	4	0	043	153.82
437-585G	8X6	4	0	043	153.82

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Reducer Bushing Flush Style - Gray**

**Spigot x Fipt**

438-072G	1/2X1/4	50	300	043	1.62
438-073G	1/2X3/8	50	300	043	1.62
438-098G	3/4X1/4	50	300	043	1.62
438-101G	3/4X1/2	50	300	043	1.24
438-130G	1X1/2	50	200	043	1.99
438-131G	1X3/4	50	300	043	1.99
438-166G	1-1/4X1/2	25	150	043	3.11
438-167G	1-1/4X3/4	25	300	043	3.11
438-168G	1-1/4X1	25	100	043	3.11
438-209G	1-1/2X1/2	25	100	043	3.58
438-210G	1-1/2X3/4	25	100	043	3.58
438-211G	1-1/2X1	25	100	043	3.58
438-212G	1-1/2X1-1/4	25	100	043	3.58
438-247G	2X1/2	10	80	043	4.76
438-248G	2X3/4	10	80	043	4.76
438-249G	2X1	10	120	043	4.76
438-250G	2X1-1/4	10	120	043	4.76
438-251G	2X1-1/2	10	120	043	4.76
438-291G	2-1/2X1-1/2	10	0	043	6.91
438-292G	2-1/2X2	10	40	043	6.91
438-338G	3X2	10	0	043	7.98
438-420G	4X2	6	0	043	17.78
438-422G	4X3	6	0	043	17.78
438-490G	5X4	4	0	043	34.66
438-532G	6X4	5	0	043	65.11

**Reducer (T.T.) Bushing - Gray**

**Mipt x Fipt**

439-101G	3/4X1/2	50	300	043	2.23
439-130G	1X1/2	50	300	043	3.11
439-131G	1X3/4	50	200	043	3.11
439-166G	1-1/4X1/2	25	300	043	4.60
439-167G	1-1/4X3/4	25	300	043	4.60
439-168G	1-1/4X1	25	150	043	4.60
439-210G	1-1/2X3/4	25	100	043	5.54
439-211G	1-1/2X1	25	100	043	5.54
439-212G	1-1/2X1-1/4	25	300	043	5.54
439-249G	2X1	10	60	043	5.93
439-250G	2X1-1/4	10	120	043	5.93
439-251G	2X1-1/2	10	60	043	5.93

**Cap - Gray**

**Socket**

447-003G	3/8	50	300	043	1.91
447-005G	1/2	50	300	043	.71
447-007G	3/4	50	300	043	.80



**Schedule 40 Fittings Product**  
**PVC Gray Sch 40 Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Cap - Gray (continued)**

**Socket**

447-010G	1	50	200	043	1.25
447-012G	1-1/4	25	100	043	1.76
447-015G	1-1/2	25	0	043	1.91
447-020G	2	10	80	043	2.32
447-025G	2-1/2	10	0	043	7.39
447-030G	3	10	0	043	8.05
447-040G	4	6	0	043	18.34
447-050G	5	5	0	043	30.78
447-060G	6	4	0	043	43.95
447-080G	8	3	0	043	111.37

**Cap - Gray**

**Fipt**

448-003G	3/8	50	300	043	2.60
448-005G	1/2	50	300	043	1.45
448-007G	3/4	50	300	043	1.63
448-010G	1	50	200	043	2.48
448-012G	1-1/4	25	100	043	2.96
448-015G	1-1/2	25	100	043	3.11
448-020G	2	10	120	043	5.48
448-030G	3	10	0	043	10.55
448-040G	4	6	0	043	18.47

**Plug - Gray**

**Spigot**

449-005G	1/2	50	300	043	1.62
449-007G	3/4	50	300	043	1.91
449-010G	1	50	200	043	2.28
449-012G	1-1/4	25	150	043	3.11
449-015G	1-1/2	25	100	043	3.93
449-020G	2	10	120	043	4.88
449-030G	3	10	0	043	11.03

**Plug - Gray**

**Mipt**

450-003G	3/8	50	300	043	2.09
450-005G	1/2	50	400	043	2.03
450-007G	3/4	50	300	043	2.22
450-010G	1	50	400	043	3.58
450-012G	1-1/4	25	300	043	3.74
450-015G	1-1/2	25	100	043	4.04
450-020G	2	10	120	043	5.18
450-025G	2-1/2	10	0	043	7.19
450-030G	3	10	0	043	10.92
450-040G	4	6	0	043	24.62

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Wye - Gray**

**Socket x Socket x Socket**

100 psi maximum internal pressure rating @ 73°F (23°C)

475-100G	10	1	0	044	1502.39
475-120G	12	1	0	044	2219.92

**Union - Socket/Buna - Gray**

**Socket x Socket with Buna-N O-ring Seal**

150 psi @ 73°F (23°C)

457-005G	1/2	20	120	043	7.36
457-007G	3/4	15	90	043	8.44
457-010G	1	10	60	043	8.63
457-012G	1-1/4	5	20	043	27.84
457-015G	1-1/2	5	20	043	29.02
457-020G	2	5	0	043	39.12

**Union - Socket/EPDM - Gray**

**Socket x Socket with EPDM O-ring Seal**

150 psi @ 73°F (23°C)

497-005G	1/2	20	120	043	8.12
497-007G	3/4	15	90	043	9.28
497-010G	1	10	60	043	9.48
497-012G	1-1/4	5	30	043	30.61
497-015G	1-1/2	5	20	043	31.94
497-020G	2	5	0	043	43.03

**Union - FIPT/Buna - Gray**

**FIPT x FIPT with Buna-N O-ring Seal**

150 psi @ 73°F (23°C)

458-005G	1/2	20	120	043	8.26
458-007G	3/4	15	90	043	13.81
458-010G	1	10	60	043	18.83
458-012G	1-1/4	5	20	043	32.37
458-015G	1-1/2	5	30	043	33.07
458-020G	2	5	0	043	40.61

**Union - FIPT/EPDM - Gray**

**FIPT x FIPT with EPDM O-ring Seal**

150 psi @ 73°F (23°C)

498-005G	1/2	10	60	043	9.07
498-007G	3/4	15	90	043	15.19
498-010G	1	10	60	043	20.69
498-012G	1-1/4	5	30	043	35.51
498-015G	1-1/2	5	30	043	36.45

Schedule 40 Fittings Product  
**PVC Gray Sch 40 Fittings**



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

**Union - Fipt/EPDM - Gray** (continued)

**Fipt x Fipt with EPDM O-ring Seal**

498-020G	2	5	0	043	44.68
----------	---	---	---	-----	-------