

Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings



PVC-21 Blue Medium Body PVC Cement

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
PVC21B-005	1/4 Pint	24	0	705	8.75
PVC21B-010	1/2 Pint	24	0	705	14.39
PVC21B-020	Pint	12	0	705	24.63
PVC21B-030	Quart	12	0	705	41.39
PVC21B-040	Gallon	6	0	705	142.26

For Technical Information See Solvent Cements

Tee - Gray

Socket x Socket x Socket



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
401-005G	1/2	50	300	043	1.06
401-007G	3/4	50	0	043	1.19
401-010G	1	50	0	043	2.20
401-012G	1-1/4	25	0	043	3.49
401-015G	1-1/2	25	0	043	4.26
401-020G	2	25	0	043	6.14
401-025G	2-1/2	10	0	043	20.33
401-030G	3	10	0	043	26.65
401-040G	4	6	0	043	48.24
401-050G	5	5	0	043	116.59
401-060G	6	4	0	043	162.46
401-080G	8	2	0	043	376.82
401-100G	10	1	0	044	1248.56
401-120G	12	1	0	044	1844.80

Tee - Reducing - Gray

Socket x Socket x Socket



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
401-101G	3/4X1/2	50	0	043	1.38
401-130G	1X1/2	50	0	043	2.34
401-131G	1X3/4	50	0	043	2.53
401-166G	1-1/4X1/2	25	0	043	3.80
401-167G	1-1/4X3/4	25	0	043	3.80
401-168G	1-1/4X1	25	0	043	3.80
401-209G	1-1/2X1/2	25	0	043	6.73
401-210G	1-1/2X3/4	25	0	043	6.73
401-211G	1-1/2X1	25	0	043	6.73
401-212G	1-1/2X1-1/4	25	0	043	6.73
401-247G	2X1/2	10	0	043	6.57
D401-247G	2X1/2	10	0	043	9.56

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Reducing - Gray (continued)

Socket x Socket x Socket

401-248G	2X3/4	10	0	043	6.57
401-249G	2X1	10	0	043	6.57
401-250G	2X1-1/4	10	0	043	6.57
401-251G	2X1-1/2	10	0	043	6.57
401-337G	3X1-1/2	10	0	043	29.02
401-338G	3X2	6	0	043	29.01
401-420G	4X2	10	0	043	48.24
401-422G	4X3	6	0	043	48.24
401-532G	6X4	2	0	043	162.46
401-585G	8X6	2	0	043	376.80

Tee - Gray

Socket x Socket x Fipt



402-005G	1/2	50	300	043	1.38
402-007G	3/4	50	0	043	2.12
402-010G	1	50	0	043	3.97
402-012G	1-1/4	25	0	043	6.29

Tee - Reducing - Gray

Socket x Socket x Fipt



402-101G	3/4X1/2	50	0	043	1.80
402-130G	1X1/2	50	0	043	2.75
402-131G	1X3/4	50	0	043	3.97
402-166G	1-1/4X1/2	25	0	043	6.57
402-167G	1-1/4X3/4	25	0	043	6.57
402-168G	1-1/4X1	25	0	043	6.57
402-199G	1-1/2X1-1/4X1/2	25	0	043	8.16
402-209G	1-1/2X1/2	25	0	043	8.16
402-210G	1-1/2X3/4	25	0	043	8.16
402-211G	1-1/2X1-1/2X1	25	0	043	8.16
402-212G	1-1/2X1-1/4	25	0	043	8.16
402-247G	2X1/2	10	0	043	10.28
402-248G	2X3/4	10	0	043	10.28
402-249G	2X1	10	0	043	10.28
402-250G	2X1-1/4	10	0	043	10.28
402-251G	2X1-1/2	10	0	043	10.28



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Gray

Fipt x Fipt x Fipt



405-005G	1/2	50	0	043	3.79
405-007G	3/4	50	0	043	5.96
405-010G	1	50	0	043	8.26
405-012G	1-1/4	25	0	043	11.44
405-015G	1-1/2	25	0	043	11.77
405-020G	2	10	0	043	15.59

90° Ell - Gray

Socket x Socket



406-003G	3/8	50	600	043	4.18
406-005G	1/2	50	400	043	.84
406-007G	3/4	50	300	043	.93
406-010G	1	50	0	043	1.68
406-012G	1-1/4	25	0	043	2.96
406-015G	1-1/2	25	0	043	3.13
406-020G	2	25	0	043	5.05
406-025G	2-1/2	10	0	043	15.16
406-030G	3	10	0	043	18.17
406-040G	4	8	0	043	32.51
406-050G	5	4	0	043	84.03
406-060G	6	4	0	043	103.41
406-080G	8	2	0	043	266.32
406-100G	10	1	0	044	1002.93
406-120G	12	1	0	044	1345.17

90° Ell - Reducing

Socket x Socket



406-101G	3/4X1/2	50	0	043	1.68
406-130G	1X1/2	50	0	043	2.49

90° Ell - Gray

Socket x Fipt



407-005G	1/2	50	400	043	1.06
407-007G	3/4	50	300	043	1.19
407-010G	1	50	0	043	2.20
407-012G	1-1/4	25	0	043	3.73
407-015G	1-1/2	25	0	043	4.14
407-020G	2	10	0	043	10.68

90° Ell - Reducing - Gray

Socket x Fipt



407-101G	3/4X1/2	50	300	043	1.25
----------	---------	----	-----	-----	------

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Ell - Gray

Fipt x Fipt



408-005G	1/2	50	400	043	2.03
408-007G	3/4	50	0	043	3.01
408-010G	1	50	0	043	6.36
408-012G	1-1/4	25	0	043	6.81
408-015G	1-1/2	25	0	043	8.61
408-020G	2	10	0	043	13.07

90° Street Ell - Gray

Spigot x Socket



409-005G	1/2	50	400	043	2.34
409-007G	3/4	50	0	043	2.88
409-010G	1	50	0	043	5.00
409-012G	1-1/4	25	0	043	5.96
409-015G	1-1/2	25	0	043	6.57

90° Street Ell - Sweep, Gray

Socket x Spigot



409-030SG	3	10	0	040	40.42
-----------	---	----	---	-----	-------

90° Street Ell - Gray

Mipt x Socket



410-005G	1/2	50	400	043	1.80
410-007G	3/4	50	0	043	2.12

90° Street Ell - Gray

Mipt x Fipt



412-005G	1/2	50	600	043	2.47
412-007G	3/4	50	0	043	3.01
412-010G	1	50	0	043	5.13
412-015G	1-1/2	25	0	043	6.92

22-1/2° Ell - Gray

Socket x Socket



416-060GF	6	1	5	045	107.60
416-120GF	12	1	2	045	345.68

Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

45° Ell - Gray

Socket x Socket



417-005G	1/2	50	400	043	1.39
417-007G	3/4	50	300	043	2.12
417-010G	1	50	0	043	2.53
417-012G	1-1/4	25	0	043	3.62
417-015G	1-1/2	25	0	043	4.48
417-020G	2	25	0	043	5.85
417-025G	2-1/2	10	0	043	15.17
417-030G	3	10	0	043	23.59
417-040G	4	5	0	043	42.39
417-050G	5	5	0	043	84.03
417-060G	6	8	0	043	104.65
417-080G	8	3	0	043	251.69

Cross - Gray

Socket x Socket x Socket x Socket



420-005G	1/2	50	0	043	3.19
420-007G	3/4	50	0	043	5.27
420-010G	1	50	0	043	6.57
420-012G	1-1/4	25	0	043	8.69
420-015G	1-1/2	25	0	043	9.85
420-020G	2	10	0	043	14.56
420-025G	2-1/2	10	0	043	30.87
420-030G	3	5	0	043	37.85
420-040G	4	4	0	043	56.12

Coupling - Gray

Socket x Socket



429-005G	1/2	50	600	043	.57
429-007G	3/4	50	400	043	.79
429-010G	1	50	0	043	1.34
429-012G	1-1/4	25	150	043	1.80
429-015G	1-1/2	25	0	043	1.95
429-020G	2	25	0	043	3.04
429-025G	2-1/2	12	0	043	6.57
429-030G	3	10	0	043	10.32
429-040G	4	6	0	043	14.91
429-050G	5	5	0	043	27.31
429-060G	6	5	0	043	47.20
429-080G	8	8	0	043	88.12

Coupling - Reducer - Gray

Socket x Socket



429-101G	3/4X1/2	50	200	043	1.38
429-131G	1X3/4	50	0	043	2.34

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Reducer - Gray (continued)

Socket x Socket

429-168G	1-1/4X1	25	0	043	3.97
429-212G	1-1/2X1-1/4	25	0	043	4.18
429-251G	2X1-1/2	10	80	043	6.64
429-338G	3X2	8	0	043	33.93
429-422G	4X3	4	0	043	44.73

Coupling - Gray

Fipt x Fipt



430-005G	1/2	50	300	043	1.07
430-007G	3/4	50	400	043	1.97
430-010G	1	50	0	043	2.53

Female Adapter - Gray

Socket x Fipt



435-005G	1/2	50	600	043	.93
435-007G	3/4	50	400	043	1.19
435-010G	1	50	0	043	1.39
435-012G	1-1/4	25	0	043	2.12
435-015G	1-1/2	25	0	043	2.47
435-020G	2	10	80	043	3.31
435-025G	2-1/2	10	0	043	8.33
435-030G	3	5	0	043	11.16
435-040G	4	6	0	043	18.48
435-050G	5	5	0	043	47.84
435-060G	6	5	0	043	67.96

Female Adapter - Reducing - Gray

Socket x Fipt



435-073G	1/2X3/8	50	600	043	1.68
435-101G	3/4X1/2	50	400	043	1.68
435-131G	1X3/4	50	0	043	2.20

Female Adapter - Spigot - Gray

Spigot x Fipt



478-005G	1/2	50	600	043	1.07
478-007G	3/4	25	300	043	1.24
478-010G	1	50	0	043	1.99
478-012G	1-1/4	25	0	043	2.73
478-015G	1-1/2	20	0	043	3.40
478-020G	2	20	0	043	5.00
478-030G	3	10	0	043	16.94
478-040G	4	5	0	043	28.06



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Male Adapter - Gray

Mipt x Socket



436-005G	1/2	50	300	043	.73
436-007G	3/4	50	400	043	.84
436-010G	1	50	300	043	1.48
436-012G	1-1/4	25	200	043	1.80
436-015G	1-1/2	25	0	043	2.47
436-020G	2	25	0	043	3.19
436-025G	2-1/2	10	0	043	9.44
436-030G	3	10	0	043	13.84
436-040G	4	5	0	043	17.63
436-050G	5	5	0	043	29.05
436-060G	6	7	0	043	46.02

Male Adapter - Reducing - Gray

Mipt x Socket



436-074G	1/2X3/4	50	200	043	1.48
436-101G	3/4X1/2	50	300	043	1.38

Reducer Bushing Flush Style - Gray

Spigot x Socket



437-101G	3/4X1/2	50	300	043	.87
437-130G	1X1/2	50	200	043	1.61
437-131G	1X3/4	50	300	043	1.61
437-166G	1-1/4X1/2	25	300	043	2.12
437-167G	1-1/4X3/4	25	300	043	2.12
437-168G	1-1/4X1	25	300	043	2.12
437-209G	1-1/2X1/2	25	200	043	2.25
437-210G	1-1/2X3/4	25	200	043	2.25
437-211G	1-1/2X1	25	200	043	2.25
437-212G	1-1/2X1-1/4	25	200	043	2.25
437-247G	2X1/2	10	120	043	3.73
437-248G	2X3/4	10	120	043	3.73
437-249G	2X1	10	60	043	3.73
437-250G	2X1-1/4	10	120	043	3.73
437-251G	2X1-1/2	25	0	043	3.73
437-290G	2-1/2X1-1/4	10	40	043	5.97
437-291G	2-1/2X1-1/2	10	0	043	5.97
437-292G	2-1/2X2	10	80	043	5.97
437-334G	3X3/4	10	0	043	8.84
437-335G	3X1	10	0	043	8.84
437-336G	3X1-1/4	10	0	043	8.84
437-337G	3X1-1/2	10	0	043	8.84
437-338G	3X2	10	0	043	8.84
437-339G	3X2-1/2	10	0	043	8.84
437-420G	4X2	6	0	043	19.76
437-421G	4X2-1/2	6	0	043	19.76
437-422G	4X3	6	0	043	19.76

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Reducer Bushing Flush Style - Gray (continued)

Spigot x Socket

437-490G	5X4	5	0	043	27.75
437-532G	6X4	5	0	043	48.84
437-534G	6X5	5	0	043	48.92
437-582G	8X4	4	0	043	170.44
437-585G	8X6	4	0	043	170.44

Reducer Bushing Flush Style - Gray

Spigot x Fipt



438-072G	1/2X1/4	50	300	043	1.80
438-073G	1/2X3/8	50	300	043	1.80
438-098G	3/4X1/4	50	300	043	1.80
438-101G	3/4X1/2	50	300	043	1.38
438-130G	1X1/2	50	200	043	2.20
438-131G	1X3/4	50	300	043	2.20
438-166G	1-1/4X1/2	25	150	043	3.44
438-167G	1-1/4X3/4	25	300	043	3.44
438-168G	1-1/4X1	25	100	043	3.44
438-209G	1-1/2X1/2	25	100	043	3.97
438-210G	1-1/2X3/4	25	100	043	3.97
438-211G	1-1/2X1	25	100	043	3.97
438-212G	1-1/2X1-1/4	25	100	043	3.97
438-247G	2X1/2	10	80	043	5.27
438-248G	2X3/4	10	80	043	5.27
438-249G	2X1	10	120	043	5.27
438-250G	2X1-1/4	10	120	043	5.27
438-251G	2X1-1/2	10	120	043	5.27
438-291G	2-1/2X1-1/2	10	0	043	7.65
438-292G	2-1/2X2	10	40	043	7.65
438-338G	3X2	10	0	043	8.84
438-420G	4X2	6	0	043	19.71
438-422G	4X3	6	0	043	19.71
438-490G	5X4	4	0	043	38.40
438-532G	6X4	5	0	043	72.15

Reducer (T.T.) Bushing - Gray

Mipt x Fipt



439-101G	3/4X1/2	50	300	043	2.47
439-130G	1X1/2	50	300	043	3.44
439-131G	1X3/4	50	200	043	3.44
439-166G	1-1/4X1/2	25	300	043	5.09
439-167G	1-1/4X3/4	25	300	043	5.09
439-168G	1-1/4X1	25	150	043	5.09
439-210G	1-1/2X3/4	25	100	043	6.14
439-211G	1-1/2X1	25	100	043	6.14
439-212G	1-1/2X1-1/4	25	300	043	6.14
439-249G	2X1	10	60	043	6.57
439-250G	2X1-1/4	10	120	043	6.57
439-251G	2X1-1/2	10	60	043	6.57

Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cap - Gray



Socket

447-003G	3/8	50	300	043	2.12
447-005G	1/2	50	300	043	.79
447-007G	3/4	50	300	043	.88
447-010G	1	50	200	043	1.39
447-012G	1-1/4	25	100	043	1.95
447-015G	1-1/2	25	0	043	2.12
447-020G	2	10	80	043	2.57
447-025G	2-1/2	10	0	043	8.19
447-030G	3	10	0	043	8.92
447-040G	4	6	0	043	20.33
447-050G	5	5	0	043	34.11
447-060G	6	4	0	043	48.69
447-080G	8	3	0	043	123.40

Cap - Gray



Fipt

448-003G	3/8	50	300	043	2.88
448-005G	1/2	50	300	043	1.61
448-007G	3/4	50	300	043	1.81
448-010G	1	50	200	043	2.75
448-012G	1-1/4	25	100	043	3.28
448-015G	1-1/2	25	100	043	3.44
448-020G	2	10	120	043	6.07
448-030G	3	10	0	043	11.69
448-040G	4	6	0	043	20.46

Plug - Gray



Spigot

449-005G	1/2	50	300	043	1.80
449-007G	3/4	50	300	043	2.12
449-010G	1	50	200	043	2.53
449-012G	1-1/4	25	150	043	3.44
449-015G	1-1/2	25	100	043	4.36
449-020G	2	10	120	043	5.41
449-030G	3	10	0	043	12.22

Plug - Gray



Mipt

450-003G	3/8	50	300	043	2.32
450-005G	1/2	50	400	043	2.25
450-007G	3/4	50	300	043	2.46
450-010G	1	50	400	043	3.97
450-012G	1-1/4	25	300	043	4.15
450-015G	1-1/2	25	100	043	4.47

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Plug - Gray (continued)

Mipt

450-020G	2	10	120	043	5.74
450-025G	2-1/2	10	80	043	7.97
450-030G	3	10	0	043	12.09
450-040G	4	6	0	043	27.28

Wye - Gray



Socket x Socket x Socket

100 psi maximum internal pressure rating @ 73°F (23°C)

475-100G	10	1	0	044	1664.69
475-120G	12	1	0	044	2459.75

Union - Socket/Buna - Gray



Socket x Socket with Buna-N O-ring Seal

150 psi @ 73°F (23°C)

457-005G	1/2	20	120	043	8.16
457-007G	3/4	15	90	043	9.35
457-010G	1	10	60	043	9.56
457-012G	1-1/4	5	20	043	30.85
457-015G	1-1/2	5	20	043	32.16
457-020G	2	5	0	043	43.35

Union - Socket/EPDM - Gray



Socket x Socket with EPDM O-ring Seal

150 psi @ 73°F (23°C)

497-005G	1/2	20	120	043	9.00
497-007G	3/4	15	90	043	10.28
497-010G	1	10	60	043	10.51
497-012G	1-1/4	5	30	043	33.92
497-015G	1-1/2	5	20	043	35.39
497-020G	2	5	0	043	47.67

Union - FIPT/Buna - Gray



FIPT x FIPT with Buna-N O-ring Seal

150 psi @ 73°F (23°C)

458-005G	1/2	20	120	043	9.15
458-007G	3/4	15	90	043	15.31
458-010G	1	10	60	043	20.86
458-012G	1-1/4	5	20	043	35.86
458-015G	1-1/2	5	30	043	36.64
458-020G	2	5	0	043	45.00



Schedule 40 Fittings Product
PVC Gray Sch 40 Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------	-------------	--------------	------

Union - Fipt/EPDM - Gray

Fipt x Fipt with EPDM O-ring Seal



150 psi @ 73°F (23°C)

498-005G	1/2	10	60	043	10.05
498-007G	3/4	15	90	043	16.83
498-010G	1	10	60	043	22.93
498-012G	1-1/4	5	30	043	39.35
498-015G	1-1/2	5	30	043	40.39
498-020G	2	5	0	043	49.51