




Solvent Cements Product

ABS Low VOC Cements & ABS to PVC Transition & Multi Purpose Low VOC Cements

ABS Low VOC Cements

ABS-71 Yellow Medium Body ABS Cement (continued)

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|----------------------------|-----------------|--------|----------|-----------|--------|
| ABS71Y-010 | 1/2 Pint | 24 | 0 | 708 | 11.44 |
| ABS71Y-020 | Pint | 12 | 0 | 708 | 20.09 |
| ABS71Y-030 | Quart | 12 | 0 | 708 | 34.25 |
| ABS71Y-040 | Gallon | 6 | 0 | 708 | 116.51 |



ABS-71 Milky Medium Body ABS Cement

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|----------------------------|-----------------|--------|----------|-----------|--------|
| ABS71M-005 | 1/4 Pint | 24 | 0 | 708 | 9.57 |
| ABS71M-010 | 1/2 Pint | 24 | 0 | 708 | 11.44 |
| ABS71M-020 | Pint | 12 | 0 | 708 | 20.09 |
| ABS71M-030 | Quart | 12 | 0 | 708 | 34.25 |
| ABS71M-040 | Gallon | 6 | 0 | 708 | 116.51 |

ABS to PVC Transition & Multi Purpose Low VOC Cements

Designed for joining PVC, ABS, CPVC and Styrene pipe and fittings, involving both similar materials and transition joints between dissimilar plastic materials.

- Low VOC emissions comply with SCAQMD Rule 1168/316A
- 3-Year Shelf Life



ABS TO PVC-94 ABS-PVC GREEN: Medium bodied, fast setting transition cement for all classes and schedules with interference fit through 6" diameter (not for Schedule 80). Specifically designed for use on ABS to PVC transition joints in non-pressure systems. Suitable for sewer and DWV applications. Listings: ASTM D3138, NSF®-DWV, SW, U.P. Code.

ABS TO PVC-94 Green Medium Body ABS to PVC Cement

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|-----------------------------|-----------------|--------|----------|-----------|--------|
| TRAN94G-005 | 1/4 Pint | 24 | 0 | 708 | 9.93 |
| TRAN94G-010 | 1/2 Pint | 24 | 0 | 708 | 14.53 |
| TRAN94G-020 | Pint | 12 | 0 | 708 | 23.64 |
| TRAN94G-030 | Quart | 12 | 0 | 708 | 40.69 |
| TRAN94G-040 | Gallon | 6 | 0 | 708 | 133.69 |



MP-90 MULTI-PURPOSE CLEAR: Medium bodied, fast setting, multi-purpose cement for all classes and schedules with interference fit through 6" diameter, Schedule 80 through 4" diameter. High-strength cement for PVC and CPVC pressure and on ABS and styrene low-pressure systems. Not for use as a transition cement between different materials (i.e., not for PVC-CPVC, PVC-ABS, etc. transitions).

MP-90 Clear Multi-Purpose Cement

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|---------------------------|-----------------|--------|----------|-----------|-------|
| MP90C-005 | 1/4 Pint | 24 | 0 | 708 | 9.36 |
| MP90C-010 | 1/2 Pint | 24 | 0 | 708 | 13.72 |
| MP90C-020 | Pint | 12 | 0 | 708 | 23.01 |
| MP90C-030 | Quart | 12 | 0 | 708 | 38.40 |