



Valves Product

Tee-Style "Zero Dead-Leg" Ball Valves & True Union 2000 Standard Ball Valves

Tee-Style "Zero Dead-Leg" Ball Valves

CPVC (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Mainline Socket Tee x Valve Socket/Fipt					
1-1/4X1	182901-168C 344.08	183901-168C 365.57	1	8	264
1-1/2X1/2	182901-209C 335.42	183901-209C 347.24	1	8	264
1-1/2X3/4	182901-210C 345.14	183901-210C 353.63	1	8	264
1-1/2X1	182901-211C 357.05	183901-211C 365.57	1	8	264
2X1/2	182901-247C 383.04	183901-247C 395.53	1	8	264
2X3/4	182901-248C 413.31	183901-248C 427.62	1	8	264
2X1	182901-249C 434.97	183901-249C 456.45	1	8	264
2X1-1/2	182901-251C 510.74	183901-251C 537.52	1	0	264
3X1/2	182901-333C 504.23	183901-333C 516.72	1	8	264
3X1	182901-335C 528.03	183901-335C 549.52	1	0	264
3X1-1/2	182901-337C 601.62	183901-337C 628.41	1	0	264
3X2	182901-338C 660.05	183901-338C 709.99	1	0	264
4X1	182901-417C 649.23	183901-417C 670.72	1	0	264
4X1-1/2	182901-419C 722.79	183901-419C 749.61	1	0	264
4X2	182901-420C 861.29	183901-420C 911.23	1	0	264
6X2	182901-528C 1124.99	183901-528C 1174.92	1	0	264
8X2	182901-578C 1659.84	183901-578C 1709.80	1	0	264

PVC Metric

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Mainline Socket Tee x Valve Socket/Fipt					
20	182901M-020 171.78	183901M-020 185.05	1	8	263
25	182901M-025 187.74	183901M-025 202.94	1	8	263
32	182901M-032 191.27	183901M-032 214.09	1	8	263
40	182901M-040 265.77	183901M-040 284.99	1	8	263
50	182901M-050 278.26	183901M-050 360.71	1	8	263
63	182901M-063 317.01	183901M-063 370.12	1	8	263

CPVC Metric

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Mainline Socket Tee x Valve Socket/Fipt					
20	182901M-020C 264.71	183901M-020C 277.21	1	8	264
25	182901M-025C 307.73	183901M-025C 303.58	1	8	263
32	182901M-032C 294.73	183901M-032C 316.22	1	8	264
40	182901M-040C 298.81	183901M-040C 318.93	1	8	264
50	182901M-050C 304.14	183901M-050C 358.35	1	8	264
63	182901M-063C 322.02	183901M-063C 371.96	1	8	264

True Union 2000 Standard Ball Valves



Socket Style

Pressure Rating @ 73°F (23°C), Water
 1/2" - 2" = 235 psi
 2-1/2" - 4" = 150 psi
 Flanged = 150 psi

Maximum Service Temperature
 PVC = 140°F (60°C)
 CPVC = 200°F (93°C)

Temperature/Pressure De-ratings Apply

All Valves Assembled with Silicone-Free, Water Soluble Lubricant

See Ball Valve Accessories & Repair Kits Section for Additional Options and Features

PVC Standard

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Socket & Threaded Ends					
1/2	3629-005 41.86	3639-005 46.56	1	18	608
3/4	3629-007 49.51	3639-007 55.07	1	18	608

Valves Product
True Union 2000 Standard Ball Valves



True Union 2000 Standard Ball Valves

PVC Standard (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Socket & Threaded Ends					
1	3629-010 58.97	3639-010 65.68	1	12	608
1-1/4	3629-012 81.56	3639-012 104.12	1	8	608
1-1/2	3629-015 98.26	3639-015 109.07	1	8	608
2	3629-020 129.66	3639-020 142.76	1	4	608

Socket Ends

2-1/2	3622-025 248.37	3632-025 337.68	1	0	609
3	3622-030 328.57	3632-030 365.06	1	0	609
4	3622-040 554.98	3632-040 616.85	1	0	609

Threaded Ends

2-1/2	3621-025 248.37	3631-025 337.68	1	0	609
3	3621-030 328.57	3631-030 365.06	1	0	609
4	3621-040 554.98	3631-040 616.85	1	0	609

SR Threaded Ends

1/2	3621-005SR 42.77	3631-005SR 47.45	1	18	608
3/4	3621-007SR 51.64	3631-007SR 57.25	1	18	608
1	3621-010SR 61.12	3631-010SR 67.83	1	18	608
1-1/4	3621-012SR 88.07	3631-012SR 110.61	1	12	608
1-1/2	3621-015SR 105.24	3631-015SR 116.04	1	8	608
2	3621-020SR 137.21	3631-020SR 150.33	1	8	608
2-1/2	3621-025SR 269.59	3631-025SR 358.04	1	0	609
3	3621-030SR 348.97	3631-030SR 385.44	1	0	609
4	3621-040SR 578.95	3631-040SR 640.63	1	0	609

Spigot Ends

1/2	3627-005 41.86	3637-005 46.56	1	18	608
3/4	3627-007 49.51	3637-007 55.07	1	18	608
1	3627-010 58.97	3637-010 65.68	1	12	608
1-1/4	3627-012 81.56	3637-012 104.12	1	12	608
1-1/2	3627-015 98.26	3637-015 109.07	1	8	608
2	3627-020 129.66	3637-020 142.76	1	8	608

PVC Standard (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Spigot Ends					
2-1/2	3627-025 249.20	3637-025 337.68	1	0	609
3	3627-030 328.57	3637-030 365.06	1	0	609
4	3627-040 554.98	3637-040 616.85	1	0	609

Flanged Ends

1/2	3623-005 59.86	3633-005 63.84	1	8	608
3/4	3623-007 75.84	3633-007 82.48	1	8	608
1	3623-010 91.77	3633-010 98.68	1	8	608
1-1/4	3623-012 107.74	3633-012 119.75	1	4	608
1-1/2	3623-015 135.72	3633-015 147.67	1	4	608
2	3623-020 216.08	3633-020 229.20	1	0	608
2-1/2	3623-025 399.09	3633-025 405.69	1	0	609
3	3623-030 413.55	3633-030 547.66	1	0	609
4	3623-040 886.92	3633-040 1028.06	1	0	609

PVC White Standard

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Socket EPDM

3622-015W	1-1/2	1	8	608	98.26
3622-020W	2	1	8	608	129.66

PVC White Standard

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

SR Threaded Ends EPDM

3621-015WSR	1-1/2	1	8	608	105.24
3621-020WSR	2	1	8	608	137.21

CPVC Standard

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
------	------	-----	--------	---------	-----------

Socket & Threaded Ends

1/2	3629-005C 55.24	3639-005C 61.43	1	18	610
3/4	3629-007C 69.61	3639-007C 77.36	1	18	610
1	3629-010C 82.87	3639-010C 92.07	1	12	610
1-1/4	3629-012C 131.75	3639-012C 146.43	1	8	610
1-1/2	3629-015C 139.12	3639-015C 154.58	1	8	610
2	3629-020C 186.08	3639-020C 213.91	1	4	610

Socket Ends

2-1/2	3622-025C 417.17	3632-025C 463.49	1	0	611
-------	---------------------	---------------------	---	---	-----



Valves Product
True Union 2000 Standard Ball Valves

True Union 2000 Standard Ball Valves

CPVC Standard (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
------	------	-----	--------	---------	-----------

Socket Ends

3	3622-030C 487.78	3632-030C 542.01	1	0	611
4	3622-040C 883.85	3632-040C 982.06	1	0	611

Threaded Ends

2-1/2	3621-025C 417.17	3631-025C 463.49	1	0	611
3	3621-030C 487.78	3631-030C 542.01	1	0	611
4	3621-040C 883.85	3631-040C 982.06	1	0	611

SR Threaded Ends

1/2	3621-005CSR 56.15	3631-005CSR 62.31	1	18	610
3/4	3621-007CSR 71.80	3631-007CSR 79.54	1	18	610
1	3621-010CSR 85.02	3631-010CSR 94.19	1	18	610
1-1/4	3621-012CSR 138.25	3631-012CSR 152.91	1	12	610
1-1/2	3621-015CSR 145.44	3631-015CSR 161.55	1	8	610
2	3621-020CSR 193.62	3631-020CSR 221.46	1	8	610
2-1/2	3621-025CSR 437.53	3631-025CSR 483.86	1	0	611
3	3621-030CSR 508.14	3631-030CSR 562.37	1	0	611
4	3621-040CSR 907.64	3631-040CSR 1006.61	1	0	611

Spigot Ends

1/2	3627-005C 55.24	3637-005C 61.43	1	18	610
3/4	3627-007C 69.61	3637-007C 77.36	1	18	610
1	3627-010C 82.87	3637-010C 92.07	1	12	610
1-1/4	3627-012C 131.75	3637-012C 146.43	1	12	610
1-1/2	3627-015C 139.12	3637-015C 154.58	1	8	610
2	3627-020C 186.08	3637-020C 213.91	1	8	610
2-1/2	3627-025C 417.17	3637-025C 463.49	1	0	611
3	3627-030C 487.78	3637-030C 542.01	1	0	611
4	3627-040C 883.85	3637-040C 982.06	1	0	611

Flanged Ends

1/2	3623-005C 93.77	3633-005C 95.80	1	8	610
3/4	3623-007C 114.94	3633-007C 119.79	1	8	610

CPVC Standard (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
------	------	-----	--------	---------	-----------

Flanged Ends

1	3623-010C 131.59	3633-010C 139.69	1	8	610
1-1/4	3623-012C 196.62	3633-012C 203.52	1	4	610
1-1/2	3623-015C 216.28	3633-015C 223.48	1	4	610
2	3623-020C 300.96	3633-020C 358.41	1	0	610
2-1/2	3623-025C 561.71	3633-025C 674.23	1	0	611
3	3623-030C 770.11	3633-030C 840.19	1	0	611
4	3623-040C 1440.69	3633-040C 1498.32	1	0	611