



Valves Product

**Tee-Style "Zero Dead-Leg" Ball Valves & True Union 2000 Standard Ball Valves**

**Tee-Style "Zero Dead-Leg" Ball Valves**

CPVC (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
<b>Mainline Socket Tee x Valve Socket/Fipt</b>					
1-1/4X1	182901-168C 362.19	183901-168C 384.81	1	8	264
1-1/2X1/2	182901-209C 353.07	183901-209C 365.52	1	8	264
1-1/2X3/4	182901-210C 363.31	183901-210C 372.24	1	8	264
1-1/2X1	182901-211C 375.84	183901-211C 384.81	1	8	264
2X1/2	182901-247C 403.20	183901-247C 416.35	1	8	264
2X3/4	182901-248C 435.06	183901-248C 450.13	1	8	264
2X1	182901-249C 457.86	183901-249C 480.47	1	8	264
2X1-1/2	182901-251C 537.62	183901-251C 565.81	1	0	264
3X1/2	182901-333C 530.77	183901-333C 543.92	1	8	264
3X1	182901-335C 555.82	183901-335C 578.44	1	0	264
3X1-1/2	182901-337C 633.28	183901-337C 661.48	1	0	264
3X2	182901-338C 694.79	183901-338C 747.36	1	0	264
4X1	182901-417C 683.40	183901-417C 706.02	1	0	264
4X1-1/2	182901-419C 760.83	183901-419C 789.06	1	0	264
4X2	182901-420C 906.62	183901-420C 959.19	1	0	264
6X2	182901-528C 1184.20	183901-528C 1236.76	1	0	264
8X2	182901-578C 1747.20	183901-578C 1799.79	1	0	264

PVC Metric

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
<b>Mainline Socket Tee x Valve Socket/Fipt</b>					
20	182901M-020 180.82	183901M-020 194.79	1	8	263
25	182901M-025 197.62	183901M-025 213.62	1	8	263
32	182901M-032 201.34	183901M-032 225.36	1	8	263
40	182901M-040 279.76	183901M-040 299.99	1	8	263
50	182901M-050 292.91	183901M-050 379.69	1	8	263
63	182901M-063 333.69	183901M-063 389.60	1	8	263

CPVC Metric

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
<b>Mainline Socket Tee x Valve Socket/Fipt</b>					
20	182901M-020C 278.64	183901M-020C 291.80	1	8	264
25	182901M-025C 323.93	183901M-025C 319.56	1	8	263
32	182901M-032C 310.24	183901M-032C 332.86	1	8	264
40	182901M-040C 314.54	183901M-040C 335.72	1	8	264
50	182901M-050C 320.15	183901M-050C 377.21	1	8	264
63	182901M-063C 338.97	183901M-063C 391.54	1	8	264

**True Union 2000 Standard Ball Valves**



Socket Style

Pressure Rating @ 73°F (23°C), Water  
 1/2" - 2" = 235 psi  
 2-1/2" - 4" = 150 psi  
 Flanged = 150 psi

Maximum Service Temperature  
 PVC = 140°F (60°C)  
 CPVC = 200°F (93°C)

Temperature/Pressure De-ratings Apply

All Valves Assembled with Silicone-Free, Water Soluble Lubricant

See Ball Valve Accessories & Repair Kits Section for Additional Options and Features

PVC Standard

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
<b>Socket &amp; Threaded Ends</b>					
1/2	3629-005 44.06	3639-005 49.01	1	18	608
3/4	3629-007 52.12	3639-007 57.97	1	18	608

Valves Product  
**True Union 2000 Standard Ball Valves**



**True Union 2000 Standard Ball Valves**

**PVC Standard (continued)**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
<b>Socket &amp; Threaded Ends</b>					
1	3629-010 62.07	3639-010 69.14	1	12	608
1-1/4	3629-012 85.85	3639-012 109.60	1	8	608
1-1/2	3629-015 103.43	3639-015 114.81	1	8	608
2	3629-020 136.48	3639-020 150.27	1	4	608

**Socket Ends**

2-1/2	3622-025 261.44	3632-025 355.45	1	0	609
3	3622-030 345.86	3632-030 384.27	1	0	609
4	3622-040 584.19	3632-040 649.32	1	0	609

**Threaded Ends**

2-1/2	3621-025 261.44	3631-025 355.45	1	0	609
3	3621-030 345.86	3631-030 384.27	1	0	609
4	3621-040 584.19	3631-040 649.32	1	0	609

**SR Threaded Ends**

1/2	3621-005SR 45.02	3631-005SR 49.95	1	18	608
3/4	3621-007SR 54.36	3631-007SR 60.26	1	18	608
1	3621-010SR 64.34	3631-010SR 71.40	1	18	608
1-1/4	3621-012SR 92.71	3631-012SR 116.43	1	12	608
1-1/2	3621-015SR 110.78	3631-015SR 122.15	1	8	608
2	3621-020SR 144.43	3631-020SR 158.24	1	8	608
2-1/2	3621-025SR 283.78	3631-025SR 376.88	1	0	609
3	3621-030SR 367.34	3631-030SR 405.73	1	0	609
4	3621-040SR 609.42	3631-040SR 674.35	1	0	609

**Spigot Ends**

1/2	3627-005 44.06	3637-005 49.01	1	18	608
3/4	3627-007 52.12	3637-007 57.97	1	18	608
1	3627-010 62.07	3637-010 69.14	1	12	608
1-1/4	3627-012 85.85	3637-012 109.60	1	12	608
1-1/2	3627-015 103.43	3637-015 114.81	1	8	608
2	3627-020 136.48	3637-020 150.27	1	8	608

**PVC Standard (continued)**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
------	------	-----	--------	---------	-----------

**Spigot Ends**

2-1/2	3627-025 262.32	3637-025 355.45	1	0	609
3	3627-030 345.86	3637-030 384.27	1	0	609
4	3627-040 584.19	3637-040 649.32	1	0	609

**Flanged Ends**

1/2	3623-005 63.01	3633-005 67.20	1	8	608
3/4	3623-007 79.83	3633-007 86.82	1	8	608
1	3623-010 96.60	3633-010 103.87	1	8	608
1-1/4	3623-012 113.41	3633-012 126.05	1	4	608
1-1/2	3623-015 142.86	3633-015 155.44	1	4	608
2	3623-020 227.45	3633-020 241.26	1	0	608
2-1/2	3623-025 420.09	3633-025 427.04	1	0	609
3	3623-030 435.32	3633-030 576.48	1	0	609
4	3623-040 933.60	3633-040 1082.17	1	0	609

**PVC White Standard**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Socket EPDM**

3622-015W	1-1/2	1	8	608	103.43
3622-020W	2	1	8	608	136.48

**PVC White Standard**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**SR Threaded Ends EPDM**

3621-015WSR	1-1/2	1	8	608	110.78
3621-020WSR	2	1	8	608	144.43

**CPVC Standard**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
------	------	-----	--------	---------	-----------

**Socket & Threaded Ends**

1/2	3629-005C 58.15	3639-005C 64.66	1	18	610
3/4	3629-007C 73.27	3639-007C 81.43	1	18	610
1	3629-010C 87.23	3639-010C 96.92	1	12	610
1-1/4	3629-012C 138.68	3639-012C 154.14	1	8	610
1-1/2	3629-015C 146.44	3639-015C 162.72	1	8	610
2	3629-020C 195.87	3639-020C 225.17	1	4	610

**Socket Ends**

2-1/2	3622-025C 439.13	3632-025C 487.88	1	0	611
-------	---------------------	---------------------	---	---	-----



# True Union 2000 Standard Ball Valves

## True Union 2000 Standard Ball Valves

### CPVC Standard (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
------	------	-----	--------	---------	-----------

#### Socket Ends

3	3622-030C 513.45	3632-030C 570.54	1	0	611
4	3622-040C 930.37	3632-040C 1033.75	1	0	611

#### Threaded Ends

2-1/2	3621-025C 439.13	3631-025C 487.88	1	0	611
3	3621-030C 513.45	3631-030C 570.54	1	0	611
4	3621-040C 930.37	3631-040C 1033.75	1	0	611

#### SR Threaded Ends

1/2	3621-005CSR 59.11	3631-005CSR 65.59	1	18	610
3/4	3621-007CSR 75.58	3631-007CSR 83.73	1	18	610
1	3621-010CSR 89.49	3631-010CSR 99.15	1	18	610
1-1/4	3621-012CSR 145.53	3631-012CSR 160.96	1	12	610
1-1/2	3621-015CSR 153.09	3631-015CSR 170.05	1	8	610
2	3621-020CSR 203.81	3631-020CSR 233.12	1	8	610
2-1/2	3621-025CSR 460.56	3631-025CSR 509.33	1	0	611
3	3621-030CSR 534.88	3631-030CSR 591.97	1	0	611
4	3621-040CSR 955.41	3631-040CSR 1059.59	1	0	611

#### Spigot Ends

1/2	3627-005C 58.15	3637-005C 64.66	1	18	610
3/4	3627-007C 73.27	3637-007C 81.43	1	18	610
1	3627-010C 87.23	3637-010C 96.92	1	12	610
1-1/4	3627-012C 138.68	3637-012C 154.14	1	12	610
1-1/2	3627-015C 146.44	3637-015C 162.72	1	8	610
2	3627-020C 195.87	3637-020C 225.17	1	8	610
2-1/2	3627-025C 439.13	3637-025C 487.88	1	0	611
3	3627-030C 513.45	3637-030C 570.54	1	0	611
4	3627-040C 930.37	3637-040C 1033.75	1	0	611

#### Flanged Ends

1/2	3623-005C 98.71	3633-005C 100.84	1	8	610
3/4	3623-007C 120.99	3633-007C 126.09	1	8	610

### CPVC Standard (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
------	------	-----	--------	---------	-----------

#### Flanged Ends

1	3623-010C 138.52	3633-010C 147.04	1	8	610
1-1/4	3623-012C 206.97	3633-012C 214.23	1	4	610
1-1/2	3623-015C 227.66	3633-015C 235.24	1	4	610
2	3623-020C 316.80	3633-020C 377.27	1	0	610
2-1/2	3623-025C 591.27	3633-025C 709.72	1	0	611
3	3623-030C 810.64	3633-030C 884.41	1	0	611
4	3623-040C 1516.52	3633-040C 1577.18	1	0	611