



Valves Product

Tee-Style "Zero Dead-Leg" Ball Valves & True Union 2000 Standard Ball Valves

Tee-Style "Zero Dead-Leg" Ball Valves

CPVC (continued)

| Size | EPDM | FKM | Std Pk | Mstr Pk | Prod Code |
|--|------------------------|------------------------|--------|---------|-----------|
| Mainline Socket Tee x Valve Socket/Fipt | | | | | |
| 1-1/4X1 | 182901-168C 381.25 | 183901-168C 405.06 | 1 | 8 | 264 |
| 1-1/2X1/2 | 182901-209C 371.65 | 183901-209C 384.76 | 1 | 8 | 264 |
| 1-1/2X3/4 | 182901-210C 382.43 | 183901-210C 391.83 | 1 | 8 | 264 |
| 1-1/2X1 | 182901-211C 395.62 | 183901-211C 405.06 | 1 | 8 | 264 |
| 2X1/2 | 182901-247C 424.42 | 183901-247C 438.26 | 1 | 8 | 264 |
| 2X3/4 | 182901-248C 457.96 | 183901-248C 473.82 | 1 | 8 | 264 |
| 2X1 | 182901-249C 481.96 | 183901-249C 505.76 | 1 | 8 | 264 |
| 2X1-1/2 | 182901-251C 565.92 | 183901-251C 595.59 | 1 | 0 | 264 |
| 3X1/2 | 182901-333C 558.71 | 183901-333C 572.55 | 1 | 8 | 264 |
| 3X1 | 182901-335C 585.07 | 183901-335C 608.88 | 1 | 0 | 264 |
| 3X1-1/2 | 182901-337C 666.61 | 183901-337C 696.29 | 1 | 0 | 264 |
| 3X2 | 182901-338C 731.36 | 183901-338C 786.69 | 1 | 0 | 264 |
| 4X1 | 182901-417C 719.37 | 183901-417C 743.18 | 1 | 0 | 264 |
| 4X1-1/2 | 182901-419C 800.87 | 183901-419C 830.59 | 1 | 0 | 264 |
| 4X2 | 182901-420C 954.34 | 183901-420C 1009.67 | 1 | 0 | 264 |
| 6X2 | 182901-528C 1246.53 | 183901-528C 1301.85 | 1 | 0 | 264 |
| 8X2 | 182901-578C 1839.16 | 183901-578C 1894.52 | 1 | 0 | 264 |

PVC Metric

| Size | EPDM | FKM | Std Pk | Mstr Pk | Prod Code |
|--|-----------------------|-----------------------|--------|---------|-----------|
| Mainline Socket Tee x Valve Socket/Fipt | | | | | |
| 20 | 182901M-020 190.34 | 183901M-020 205.04 | 1 | 8 | 263 |
| 25 | 182901M-025 208.02 | 183901M-025 224.86 | 1 | 8 | 263 |
| 32 | 182901M-032 211.94 | 183901M-032 237.22 | 1 | 8 | 263 |
| 40 | 182901M-040 294.48 | 183901M-040 315.78 | 1 | 8 | 263 |
| 50 | 182901M-050 308.33 | 183901M-050 399.67 | 1 | 8 | 263 |
| 63 | 182901M-063 351.25 | 183901M-063 410.11 | 1 | 8 | 263 |

CPVC Metric

| Size | EPDM | FKM | Std Pk | Mstr Pk | Prod Code |
|--|------------------------|------------------------|--------|---------|-----------|
| Mainline Socket Tee x Valve Socket/Fipt | | | | | |
| 20 | 182901M-020C 293.31 | 183901M-020C 307.16 | 1 | 8 | 264 |
| 25 | 182901M-025C 340.98 | 183901M-025C 336.38 | 1 | 8 | 263 |
| 32 | 182901M-032C 326.57 | 183901M-032C 350.38 | 1 | 8 | 264 |
| 40 | 182901M-040C 331.09 | 183901M-040C 353.39 | 1 | 8 | 264 |
| 50 | 182901M-050C 337.00 | 183901M-050C 397.06 | 1 | 8 | 264 |
| 63 | 182901M-063C 356.81 | 183901M-063C 412.15 | 1 | 8 | 264 |

True Union 2000 Standard Ball Valves



Socket Style

Pressure Rating @ 73°F (23°C), Water
 1/2" - 2" = 235 psi
 2-1/2" - 4" = 150 psi
 Flanged = 150 psi

Maximum Service Temperature
 PVC = 140°F (60°C)
 CPVC = 200°F (93°C)

Temperature/Pressure De-ratings Apply

All Valves Assembled with Silicone-Free, Water Soluble Lubricant

See Ball Valve Accessories & Repair Kits Section for Additional Options and Features

PVC Standard

| Size | EPDM | FKM | Std Pk | Mstr Pk | Prod Code |
|-----------------------------------|-------------------|-------------------|--------|---------|-----------|
| Socket & Threaded Ends | | | | | |
| 1/2 | 3629-005 46.38 | 3639-005 51.59 | 1 | 18 | 608 |
| 3/4 | 3629-007 54.86 | 3639-007 61.02 | 1 | 18 | 608 |

Valves Product
True Union 2000 Standard Ball Valves



True Union 2000 Standard Ball Valves

PVC Standard (continued)

| Size | EPDM | FKM | Std Pk | Mstr Pk | Prod Code |
|-----------------------------------|--------------------|--------------------|--------|---------|-----------|
| Socket & Threaded Ends | | | | | |
| 1 | 3629-010 65.34 | 3639-010 72.78 | 1 | 12 | 608 |
| 1-1/4 | 3629-012 90.37 | 3639-012 115.37 | 1 | 8 | 608 |
| 1-1/2 | 3629-015 108.87 | 3639-015 120.85 | 1 | 8 | 608 |
| 2 | 3629-020 143.66 | 3639-020 158.18 | 1 | 4 | 608 |

Socket Ends

| | | | | | |
|-------|--------------------|--------------------|---|---|-----|
| 2-1/2 | 3622-025 275.20 | 3632-025 374.16 | 1 | 0 | 609 |
| 3 | 3622-030 364.06 | 3632-030 404.49 | 1 | 0 | 609 |
| 4 | 3622-040 614.94 | 3632-040 683.49 | 1 | 0 | 609 |

Threaded Ends

| | | | | | |
|-------|--------------------|--------------------|---|---|-----|
| 2-1/2 | 3621-025 275.20 | 3631-025 374.16 | 1 | 0 | 609 |
| 3 | 3621-030 364.06 | 3631-030 404.49 | 1 | 0 | 609 |
| 4 | 3621-040 614.94 | 3631-040 683.49 | 1 | 0 | 609 |

SR Threaded Ends

| | | | | | |
|-------|----------------------|----------------------|---|----|-----|
| 1/2 | 3621-005SR 47.39 | 3631-005SR 52.58 | 1 | 18 | 608 |
| 3/4 | 3621-007SR 57.22 | 3631-007SR 63.43 | 1 | 18 | 608 |
| 1 | 3621-010SR 67.73 | 3631-010SR 75.16 | 1 | 18 | 608 |
| 1-1/4 | 3621-012SR 97.59 | 3631-012SR 122.56 | 1 | 12 | 608 |
| 1-1/2 | 3621-015SR 116.61 | 3631-015SR 128.58 | 1 | 8 | 608 |
| 2 | 3621-020SR 152.03 | 3631-020SR 166.57 | 1 | 8 | 608 |
| 2-1/2 | 3621-025SR 298.72 | 3631-025SR 396.72 | 1 | 0 | 609 |
| 3 | 3621-030SR 386.67 | 3631-030SR 427.08 | 1 | 0 | 609 |
| 4 | 3621-040SR 641.49 | 3631-040SR 709.84 | 1 | 0 | 609 |

Spigot Ends

| | | | | | |
|-------|--------------------|--------------------|---|----|-----|
| 1/2 | 3627-005 46.38 | 3637-005 51.59 | 1 | 18 | 608 |
| 3/4 | 3627-007 54.86 | 3637-007 61.02 | 1 | 18 | 608 |
| 1 | 3627-010 65.34 | 3637-010 72.78 | 1 | 12 | 608 |
| 1-1/4 | 3627-012 90.37 | 3637-012 115.37 | 1 | 12 | 608 |
| 1-1/2 | 3627-015 108.87 | 3637-015 120.85 | 1 | 8 | 608 |
| 2 | 3627-020 143.66 | 3637-020 158.18 | 1 | 8 | 608 |

PVC Standard (continued)

| Size | EPDM | FKM | Std Pk | Mstr Pk | Prod Code |
|--------------------|--------------------|--------------------|--------|---------|-----------|
| Spigot Ends | | | | | |
| 2-1/2 | 3627-025 276.13 | 3637-025 374.16 | 1 | 0 | 609 |
| 3 | 3627-030 364.06 | 3637-030 404.49 | 1 | 0 | 609 |
| 4 | 3627-040 614.94 | 3637-040 683.49 | 1 | 0 | 609 |

Flanged Ends

| | | | | | |
|-------|--------------------|---------------------|---|---|-----|
| 1/2 | 3623-005 66.33 | 3633-005 70.74 | 1 | 8 | 608 |
| 3/4 | 3623-007 84.03 | 3633-007 91.39 | 1 | 8 | 608 |
| 1 | 3623-010 101.68 | 3633-010 109.34 | 1 | 8 | 608 |
| 1-1/4 | 3623-012 119.38 | 3633-012 132.68 | 1 | 4 | 608 |
| 1-1/2 | 3623-015 150.38 | 3633-015 163.62 | 1 | 4 | 608 |
| 2 | 3623-020 239.42 | 3633-020 253.96 | 1 | 0 | 608 |
| 2-1/2 | 3623-025 442.20 | 3633-025 449.52 | 1 | 0 | 609 |
| 3 | 3623-030 458.23 | 3633-030 606.82 | 1 | 0 | 609 |
| 4 | 3623-040 982.74 | 3633-040 1139.13 | 1 | 0 | 609 |

PVC White Standard

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|--------------------|-------|--------|----------|-----------|--------|
| Socket EPDM | | | | | |
| 3622-015W | 1-1/2 | 1 | 8 | 608 | 108.87 |
| 3622-020W | 2 | 1 | 8 | 608 | 143.66 |

PVC White Standard

| Part Number | Size | Std Pk | Mstr Ctn | Prod Code | MSRP |
|------------------------------|-------|--------|----------|-----------|--------|
| SR Threaded Ends EPDM | | | | | |
| 3621-015WSR | 1-1/2 | 1 | 8 | 608 | 116.61 |
| 3621-020WSR | 2 | 1 | 8 | 608 | 152.03 |

CPVC Standard

| Size | EPDM | FKM | Std Pk | Mstr Pk | Prod Code |
|-----------------------------------|---------------------|---------------------|--------|---------|-----------|
| Socket & Threaded Ends | | | | | |
| 1/2 | 3629-005C 61.21 | 3639-005C 68.06 | 1 | 18 | 610 |
| 3/4 | 3629-007C 77.13 | 3639-007C 85.72 | 1 | 18 | 610 |
| 1 | 3629-010C 91.82 | 3639-010C 102.02 | 1 | 12 | 610 |
| 1-1/4 | 3629-012C 145.98 | 3639-012C 162.25 | 1 | 8 | 610 |
| 1-1/2 | 3629-015C 154.15 | 3639-015C 171.28 | 1 | 8 | 610 |
| 2 | 3629-020C 206.18 | 3639-020C 237.02 | 1 | 4 | 610 |
| Socket Ends | | | | | |
| 2-1/2 | 3622-025C 462.24 | 3632-025C 513.56 | 1 | 0 | 611 |



True Union 2000 Standard Ball Valves

True Union 2000 Standard Ball Valves

CPVC Standard (continued)

| Size | EPDM | FKM | Std Pk | Mstr Pk | Prod Code |
|------|------|-----|--------|---------|-----------|
|------|------|-----|--------|---------|-----------|

Socket Ends

| | | | | | |
|---|---------------------|----------------------|---|---|-----|
| 3 | 3622-030C 540.47 | 3632-030C 600.57 | 1 | 0 | 611 |
| 4 | 3622-040C 979.34 | 3632-040C 1088.16 | 1 | 0 | 611 |

Threaded Ends

| | | | | | |
|-------|---------------------|----------------------|---|---|-----|
| 2-1/2 | 3621-025C 462.24 | 3631-025C 513.56 | 1 | 0 | 611 |
| 3 | 3621-030C 540.47 | 3631-030C 600.57 | 1 | 0 | 611 |
| 4 | 3621-040C 979.34 | 3631-040C 1088.16 | 1 | 0 | 611 |

SR Threaded Ends

| | | | | | |
|-------|------------------------|------------------------|---|----|-----|
| 1/2 | 3621-005CSR 62.22 | 3631-005CSR 69.04 | 1 | 18 | 610 |
| 3/4 | 3621-007CSR 79.56 | 3631-007CSR 88.14 | 1 | 18 | 610 |
| 1 | 3621-010CSR 94.20 | 3631-010CSR 104.37 | 1 | 18 | 610 |
| 1-1/4 | 3621-012CSR 153.19 | 3631-012CSR 169.43 | 1 | 12 | 610 |
| 1-1/2 | 3621-015CSR 161.15 | 3631-015CSR 179.00 | 1 | 8 | 610 |
| 2 | 3621-020CSR 214.54 | 3631-020CSR 245.39 | 1 | 8 | 610 |
| 2-1/2 | 3621-025CSR 484.80 | 3631-025CSR 536.14 | 1 | 0 | 611 |
| 3 | 3621-030CSR 563.03 | 3631-030CSR 623.13 | 1 | 0 | 611 |
| 4 | 3621-040CSR 1005.69 | 3631-040CSR 1115.36 | 1 | 0 | 611 |

Spigot Ends

| | | | | | |
|-------|---------------------|----------------------|---|----|-----|
| 1/2 | 3627-005C 61.21 | 3637-005C 68.06 | 1 | 18 | 610 |
| 3/4 | 3627-007C 77.13 | 3637-007C 85.72 | 1 | 18 | 610 |
| 1 | 3627-010C 91.82 | 3637-010C 102.02 | 1 | 12 | 610 |
| 1-1/4 | 3627-012C 145.98 | 3637-012C 162.25 | 1 | 12 | 610 |
| 1-1/2 | 3627-015C 154.15 | 3637-015C 171.28 | 1 | 8 | 610 |
| 2 | 3627-020C 206.18 | 3637-020C 237.02 | 1 | 8 | 610 |
| 2-1/2 | 3627-025C 462.24 | 3637-025C 513.56 | 1 | 0 | 611 |
| 3 | 3627-030C 540.47 | 3637-030C 600.57 | 1 | 0 | 611 |
| 4 | 3627-040C 979.34 | 3637-040C 1088.16 | 1 | 0 | 611 |

Flanged Ends

| | | | | | |
|-----|---------------------|---------------------|---|---|-----|
| 1/2 | 3623-005C 103.91 | 3633-005C 106.15 | 1 | 8 | 610 |
| 3/4 | 3623-007C 127.36 | 3633-007C 132.73 | 1 | 8 | 610 |

CPVC Standard (continued)

| Size | EPDM | FKM | Std Pk | Mstr Pk | Prod Code |
|------|------|-----|--------|---------|-----------|
|------|------|-----|--------|---------|-----------|

Flanged Ends

| | | | | | |
|-------|----------------------|----------------------|---|---|-----|
| 1 | 3623-010C 145.81 | 3633-010C 154.78 | 1 | 8 | 610 |
| 1-1/4 | 3623-012C 217.86 | 3633-012C 225.51 | 1 | 4 | 610 |
| 1-1/2 | 3623-015C 239.64 | 3633-015C 247.62 | 1 | 4 | 610 |
| 2 | 3623-020C 333.47 | 3633-020C 397.13 | 1 | 0 | 610 |
| 2-1/2 | 3623-025C 622.39 | 3633-025C 747.07 | 1 | 0 | 611 |
| 3 | 3623-030C 853.31 | 3633-030C 930.96 | 1 | 0 | 611 |
| 4 | 3623-040C 1596.34 | 3633-040C 1660.19 | 1 | 0 | 611 |