



True Union 2000 Industrial Ball Valves

CPVC Industrial (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Spigot Ends					
3/4	1827-007C 87.00	1837-007C 96.69	1	18	602
1	1827-010C 103.58	1837-010C 115.08	1	12	602
1-1/4	1827-012C 164.66	1837-012C 183.01	1	8	602
1-1/2	1827-015C 173.91	1837-015C 193.23	1	8	602
2	1827-020C 232.58	1837-020C 267.37	1	4	602
2-1/2	1827-025C 521.46	1837-025C 579.37	1	0	603
3	1827-030C 609.71	1837-030C 677.51	1	0	603
4	1827-040C 1104.83	1837-040C 1227.57	1	0	603
6	1827-060C 2352.01	1837-060C 2613.17	1	0	613

Flanged Ends

1/2	1823-005C 117.22	1833-005C 119.75	1	8	602
3/4	1823-007C 143.69	1833-007C 149.65	1	8	602
1	1823-010C 164.48	1833-010C 174.61	1	8	602
1-1/4	1823-012C 245.77	1833-012C 254.40	1	8	602
1-1/2	1823-015C 270.34	1833-015C 279.35	1	4	602
2	1823-020C 376.19	1833-020C 448.03	1	0	602
2-1/2	1823-025C 702.13	1833-025C 842.78	1	0	603
3	1823-030C 1026.81	1833-030C 1050.23	1	0	603
4	1823-040C 1800.86	1833-040C 1872.88	1	0	603
6	1823-060C 3835.82	1833-060C 3988.44	1	0	613
8	1823-080C 5101.63	1833-080C 5304.61	1	0	613

8" Venturied valves are 6" ball valves fitted with 6x8 end connector adapters.

CPVC 6" Industrial T-Handle Valve Option (Non-Locking)

NOTICE: T-Handle is more compact, but will greatly increase difficulty of operation.

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Socket Ends					
6	18226-060C 2352.01	18326-060C 2613.17	1	0	613
Threaded Ends					
6	18216-060C 2352.01	18316-060C 2613.17	1	0	613

CPVC 6" Industrial T-Handle Valve Option (Non-Locking)

NOTICE: T-Handle is more compact, but will greatly increase difficulty of operation.

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
SR Threaded Ends					
6	18216-060CSR 2416.46	18316-060CSR 2677.61	1	0	613
Flanged Ends					
6	18236-060C 3835.82	18336-060C 3988.44	1	0	613

True Union 2000 Industrial Vented/Bleach Ball Valves



Pressure Rating @ 73°F (23°C), Water

1/2" - 4"	235 psi
6"	150 psi
Flanged	150 psi

Same True Union 2000 Industrial Ball Valve with Special Ball Vent Design for Sodium Hypochlorite (Bleach) and other Chemical Applications where entrapped fluids may form caustic crystalline residues and pressure build up from gases developed. Valve has a 1/8" vent hole in ball to equalize internal fluid pressures. Install valve with ball vent on the pressure (upstream) side when in closed position.

All Valves assembled with Silicone-Free, Water Soluble Lubricant

Contact Spears® for MSRP & Availability on Custom Elastomer Seals. See Ball Valve Accessories & Repair Kits Section for Additional Options and Features

PVC True Union 2000 Industrial Vented/Bleach Ball Valves

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
Threaded & Socket Ends					
1/2	1829V-005 61.53	1839V-005 68.48	1	18	600
3/4	1829V-007 72.81	1839V-007 80.99	1	18	600
1	1829V-010 86.73	1839V-010 96.58	1	12	600
1-1/4	1829V-012 119.97	1839V-012 153.11	1	8	600
1-1/2	1829V-015 144.47	1839V-015 160.40	1	8	600



True Union 2000 Industrial Vented/Bleach Ball Valves

True Union 2000 Industrial Vented/Bleach Ball Valves
PVC True Union 2000 Industrial Vented/Bleach Ball Valves

(continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
------	------	-----	--------	---------	-----------

Threaded & Socket Ends

2	1829V-020 190.65	1839V-020 209.96	1	4	600
---	---------------------	---------------------	---	---	-----

Socket Ends

2-1/2	1822V-025 366.49	1832V-025 496.59	1	0	601
3	1822V-030 410.72	1832V-030 536.87	1	0	601
4	1822V-040 693.94	1832V-040 907.11	1	0	601
6	1822V-060 1763.60	1832V-060 2079.43	1	0	612

SR Threaded Ends

1/2	1821V-005SR 62.86	1831V-005SR 69.81	1	18	600
3/4	1821V-007SR 75.98	1831V-007SR 84.20	1	18	600
1	1821V-010SR 89.91	1831V-010SR 99.78	1	12	600
1-1/4	1821V-012SR 129.52	1831V-012SR 162.67	1	8	600
1-1/2	1821V-015SR 154.78	1831V-015SR 170.69	1	8	600
2	1821V-020SR 201.80	1831V-020SR 220.86	1	4	600
2-1/2	1821V-025SR 396.44	1831V-025SR 526.52	1	0	601
3	1821V-030SR 513.17	1831V-030SR 566.82	1	0	601
4	1821V-040SR 851.35	1831V-040SR 942.08	1	0	601

Flanged Ends

1/2	1823V-005 88.17	1833V-005 94.18	1	8	600
3/4	1823V-007 111.53	1833V-007 121.28	1	8	600
1	1823V-010 134.96	1833V-010 145.13	1	8	600
1-1/4	1823V-012 158.48	1833V-012 217.14	1	8	600
1-1/2	1823V-015 199.58	1833V-015 217.14	1	4	600
2	1823V-020 317.78	1833V-020 337.05	1	0	600
2-1/2	1823V-025 586.88	1833V-025 596.58	1	0	601
3	1823V-030 648.67	1833V-030 805.36	1	0	601
4	1823V-040 1304.27	1833V-040 1511.87	1	0	601
6	1823V-060 2777.07	1833V-060 3219.95	1	0	612

CPVC True Union 2000 Industrial Vented/Bleach Ball Valves

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
------	------	-----	--------	---------	-----------

Threaded & Socket Ends

1/2	1829V-005C 81.26	1839V-005C 90.31	1	18	602
3/4	1829V-007C 102.35	1839V-007C 113.76	1	18	602
1	1829V-010C 121.86	1839V-010C 135.39	1	12	602
1-1/4	1829V-012C 193.73	1839V-012C 215.34	1	8	602
1-1/2	1829V-015C 204.60	1839V-015C 227.33	1	8	602
2	1829V-020C 273.64	1839V-020C 314.54	1	4	602

Socket Ends

2-1/2	1822V-025C 613.48	1832V-025C 681.59	1	0	603
3	1822V-030C 717.31	1832V-030C 797.04	1	0	603
4	1822V-040C 1299.78	1832V-040C 1444.21	1	0	603
6	1822V-060C 2767.09	1832V-060C 3074.32	1	0	613

SR Threaded Ends

1/2	1821V-005CSR 82.56	1831V-005CSR 91.63	1	18	602
3/4	1821V-007CSR 105.56	1831V-007CSR 116.92	1	18	602
1	1821V-010CSR 125.02	1831V-010CSR 138.55	1	12	602
1-1/4	1821V-012CSR 203.28	1831V-012CSR 224.89	1	8	602
1-1/2	1821V-015CSR 214.89	1831V-015CSR 237.61	1	8	602
2	1821V-020CSR 284.78	1831V-020CSR 325.69	1	4	602
2-1/2	1821V-025CSR 643.43	1831V-025CSR 711.55	1	0	603
3	1821V-030CSR 747.25	1831V-030CSR 827.00	1	0	603
4	1821V-040CSR 1334.75	1831V-040CSR 1479.19	1	0	603

Flanged Ends

1/2	1823V-005C 137.89	1833V-005C 140.86	1	8	602
3/4	1823V-007C 169.04	1833V-007C 176.09	1	8	602
1	1823V-010C 193.52	1833V-010C 205.43	1	8	602
1-1/4	1823V-012C 289.15	1833V-012C 299.29	1	8	602
1-1/2	1823V-015C 318.04	1833V-015C 328.65	1	4	602
2	1823V-020C 442.58	1833V-020C 527.08	1	0	602
2-1/2	1823V-025C 826.04	1833V-025C 991.51	1	0	603
3	1823V-030C 1208.01	1833V-030C 1235.54	1	0	603

True Union 2000 Industrial Vented/Bleach Ball Valves



True Union 2000 Industrial Vented/Bleach Ball Valves
CPVC True Union 2000 Industrial Vented/Bleach Ball Valves

(continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
------	------	-----	--------	---------	-----------

Flanged Ends

4	1823V-040C 2203.38	1833V-040C 2203.40	1	0	603
6	1823V-060C 4692.28	1833V-060C 4692.28	1	0	613