



## Valves Product Y-Pattern Valves

### Y-Pattern Valves



Socket Style



Flanged Style

**Pressure Rating @ 73°F (23°C), Water**  
 1/2" - 2" 150 psi  
 3" - 4" 90 psi

**Maximum Service Temperature**  
 PVC = 140°F (60°C)  
 CPVC = 200°F (93°C)

Temperature/Pressure De-ratings Apply

### PVC - SR Threaded Ends (continued)

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
3	1721-030SR <b>697.93</b>	1731-030SR <b>755.06</b>	1	0	620
4	1721-040SR <b>1153.12</b>	1731-040SR <b>1251.28</b>	1	0	620

### PVC - Flanged Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1723-005 <b>130.29</b>	1733-005 <b>135.65</b>	1	8	620
3/4	1723-007 <b>149.94</b>	1733-007 <b>157.08</b>	1	4	620
1	1723-010 <b>176.69</b>	1733-010 <b>183.85</b>	1	4	620
1-1/4	1723-012 <b>207.04</b>	1733-012 <b>221.34</b>	1	0	620
1-1/2	1723-015 <b>260.61</b>	1733-015 <b>273.12</b>	1	0	620
2	1723-020 <b>365.91</b>	1733-020 <b>383.78</b>	1	0	620
3	1723-030 <b>714.02</b>	1733-030 <b>771.14</b>	1	0	620
4	1723-040 <b>1417.27</b>	1733-040 <b>1502.98</b>	1	0	620

### PVC - Socket Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1722-005 <b>92.81</b>	1732-005 <b>98.18</b>	1	12	620
3/4	1722-007 <b>108.88</b>	1732-007 <b>116.03</b>	1	8	620
1	1722-010 <b>130.29</b>	1732-010 <b>139.21</b>	1	8	620
1-1/4	1722-012 <b>158.87</b>	1732-012 <b>174.94</b>	1	4	620
1-1/2	1722-015 <b>212.42</b>	1732-015 <b>224.91</b>	1	0	620
2	1722-020 <b>301.66</b>	1732-020 <b>321.32</b>	2	0	620
3	1722-030 <b>649.74</b>	1732-030 <b>706.87</b>	1	0	620
4	1722-040 <b>1103.14</b>	1732-040 <b>1201.33</b>	1	0	620

### PVC Clear - Socket Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1722-005CL <b>92.81</b>	1732-005CL <b>98.18</b>	1	12	621
3/4	1722-007CL <b>108.88</b>	1732-007CL <b>116.03</b>	1	8	621
1	1722-010CL <b>130.29</b>	1732-010CL <b>139.21</b>	1	8	621
1-1/4	1722-012CL <b>158.87</b>	1732-012CL <b>174.94</b>	1	4	621
1-1/2	1722-015CL <b>212.42</b>	1732-015CL <b>224.91</b>	1	0	621
2	1722-020CL <b>301.66</b>	1732-020CL <b>321.32</b>	2	0	621
3	1722-030CL <b>649.74</b>	1732-030CL <b>706.87</b>	1	0	621
4	1722-040CL <b>1103.14</b>	1732-040CL <b>1201.33</b>	1	0	621

### PVC - SR Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1721-005SR <b>96.39</b>	1731-005SR <b>101.75</b>	1	8	620
3/4	1721-007SR <b>114.23</b>	1731-007SR <b>121.39</b>	1	8	620
1	1721-010SR <b>137.45</b>	1731-010SR <b>146.38</b>	1	8	620
1-1/4	1721-012SR <b>187.41</b>	1731-012SR <b>198.13</b>	1	0	620
1-1/2	1721-015SR <b>230.25</b>	1731-015SR <b>240.98</b>	1	0	620
2	1721-020SR <b>324.87</b>	1731-020SR <b>340.96</b>	1	0	620

### PVC Clear - SR Threaded Ends

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1721-005CLSR <b>96.39</b>	1731-005CLSR <b>101.75</b>	1	8	621
3/4	1721-007CLSR <b>114.23</b>	1731-007CLSR <b>121.39</b>	1	8	621
1	1721-010CLSR <b>137.45</b>	1731-010CLSR <b>146.38</b>	1	8	621
1-1/4	1721-012CLSR <b>187.41</b>	1731-012CLSR <b>198.13</b>	1	0	621
1-1/2	1721-015CLSR <b>230.25</b>	1731-015CLSR <b>240.98</b>	1	0	621
2	1721-020CLSR <b>324.87</b>	1731-020CLSR <b>340.96</b>	1	0	621

**Valves Product**  
**Y-Pattern Valves**



**Y-Pattern Valves**

**PVC Clear - SR Threaded Ends (continued)**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
3	1721-030CLSR 697.93	1731-030CLSR 755.06	1	0	621
4	1721-040CLSR 1153.12	1731-040CLSR 1251.28	1	0	621

**PVC Clear - Flanged Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1723-005CL 130.29	1733-005CL 135.65	1	8	621
3/4	1723-007CL 149.94	1733-007CL 157.08	1	8	621
1	1723-010CL 176.69	1733-010CL 183.85	1	4	621
1-1/4	1723-012CL 207.04	1733-012CL 221.34	1	0	621
1-1/2	1723-015CL 260.61	1733-015CL 273.12	1	0	621
2	1723-020CL 365.91	1733-020CL 383.78	1	0	621
3	1723-030CL 714.02	1733-030CL 771.14	1	0	621
4	1723-040CL 1417.27	1733-040CL 1502.98	1	0	621

**CPVC - Socket Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1722-005C 130.29	1732-005C 137.45	1	12	622
3/4	1722-007C 153.52	1732-007C 164.22	1	8	622
1	1722-010C 183.85	1732-010C 196.37	1	8	622
1-1/4	1722-012C 226.69	1732-012C 240.98	1	4	622
1-1/2	1722-015C 299.88	1732-015C 317.72	1	0	622
2	1722-020C 424.82	1732-020C 453.39	2	0	622
3	1722-030C 910.36	1732-030C 988.89	1	0	622
4	1722-040C 1544.02	1732-040C 1681.47	1	0	622

**CPVC - SR Threaded Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1721-005CSR 133.87	1731-005CSR 142.81	1	8	622
3/4	1721-007CSR 158.87	1731-007CSR 169.57	1	8	622
1	1721-010CSR 192.78	1731-010CSR 196.37	1	8	622
1-1/4	1721-012CSR 235.62	1731-012CSR 253.48	1	0	622
1-1/2	1721-015CSR 323.08	1731-015CSR 340.96	1	0	622

**CPVC - SR Threaded Ends (continued)**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
2	1721-020CSR 451.60	1731-020CSR 476.62	1	0	622
3	1721-030CSR 976.40	1731-030CSR 1056.71	1	0	622
4	1721-040CSR 1538.67	1731-040CSR 1751.12	1	0	622

**CPVC - Flanged Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	1723-005C 214.20	1733-005C 221.34	1	8	622
3/4	1723-007C 244.56	1733-007C 255.24	1	8	622
1	1723-010C 296.29	1733-010C 308.80	1	4	622
1-1/4	1723-012C 355.21	1733-012C 367.73	1	0	622
1-1/2	1723-015C 480.18	1733-015C 498.02	1	0	622
2	1723-020C 612.26	1733-020C 640.83	1	0	622
3	1723-030C 1178.12	1733-030C 1258.44	1	0	622
4	1723-040C 1911.74	1733-040C 2033.14	1	0	622

**PVC - True Union Socket Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172A-005 110.66	173A-005 116.03	1	8	620
3/4	172A-007 128.51	173A-007 135.65	1	8	620
1	172A-010 153.52	173A-010 164.22	1	4	620
1-1/4	172A-012 187.41	173A-012 205.28	2	0	620
1-1/2	172A-015 249.91	173A-015 264.18	1	0	620
2	172A-020 353.44	173A-020 378.44	1	0	620
3	172A-030 763.98	173A-030 830.05	1	0	620
4	172A-040 1297.71	173A-040 1411.98	1	0	620

**PVC - True Union Threaded Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172B-005 110.66	173B-005 116.03	1	8	620
3/4	172B-007 128.51	173B-007 135.65	1	8	620
1	172B-010 153.52	173B-010 164.22	1	4	620
1-1/4	172B-012 187.41	173B-012 205.28	2	0	620
1-1/2	172B-015 249.91	173B-015 264.18	1	0	620



**Valves Product**  
**Y-Pattern Valves**

**Y-Pattern Valves**

**PVC - True Union Threaded Ends (continued)**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
2	172B-020 353.44	173B-020 378.44	1	0	620
3	172B-030 763.98	173B-030 830.05	1	0	620
4	172B-040 1297.71	173B-040 1411.98	1	0	620

**PVC - True Union SR Threaded Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172B-005SR 114.23	173B-005SR 119.59	1	8	620
3/4	172B-007SR 133.87	173B-007SR 142.81	1	8	620
1	172B-010SR 162.44	173B-010SR 171.37	1	4	620
1-1/4	172B-012SR 221.34	173B-012SR 233.83	1	0	620
1-1/2	172B-015SR 271.32	173B-015SR 283.82	1	0	620
2	172B-020SR 381.99	173B-020SR 401.63	1	0	620
3	172B-030SR 821.08	173B-030SR 888.92	1	0	620
4	172B-040SR 1356.61	173B-040SR 1472.64	1	0	620

**PVC Clear - True Union Socket Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172A-005CL 110.66	173A-005CL 116.03	1	8	621
3/4	172A-007CL 128.51	173A-007CL 135.65	1	8	621
1	172A-010CL 153.52	173A-010CL 164.22	1	4	621
1-1/4	172A-012CL 187.41	173A-012CL 205.28	2	0	621
1-1/2	172A-015CL 249.91	173A-015CL 264.18	2	0	621
2	172A-020CL 353.44	173A-020CL 378.44	1	0	621
3	172A-030CL 763.98	173A-030CL 830.05	1	0	621
4	172A-040CL 1297.71	173A-040CL 1411.98	1	0	621

**PVC Clear - True Union Threaded Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172B-005CL 110.66	173B-005CL 116.03	1	8	621
3/4	172B-007CL 128.51	173B-007CL 135.65	1	8	621
1	172B-010CL 153.52	173B-010CL 164.22	1	4	621
1-1/4	172B-012CL 187.41	173B-012CL 205.28	2	0	621

**PVC Clear - True Union Threaded Ends (continued)**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1-1/2	172B-015CL 249.91	173B-015CL 264.18	1	0	621
2	172B-020CL 353.44	173B-020CL 378.44	1	0	621
3	172B-030CL 763.98	173B-030CL 830.05	1	0	621
4	172B-040CL 1297.71	173B-040CL 1411.98	1	0	621

**PVC Clear - True Union SR Threaded Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172B-005CLSR 114.23	173B-005CLSR 119.59	1	8	621
3/4	172B-007CLSR 133.87	173B-007CLSR 142.81	1	8	621
1	172B-010CLSR 162.44	173B-010CLSR 171.37	1	4	621
1-1/4	172B-012CLSR 221.34	173B-012CLSR 233.83	2	0	621
1-1/2	172B-015CLSR 271.32	173B-015CLSR 283.82	1	0	621
2	172B-020CLSR 381.99	173B-020CLSR 401.63	1	0	621
3	172B-030CLSR 821.08	173B-030CLSR 888.92	1	0	621
4	172B-040CLSR 1356.61	173B-040CLSR 1472.64	1	0	621

**CPVC - True Union Socket Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172A-005C 153.52	173A-005C 162.44	1	8	622
3/4	172A-007C 180.28	173A-007C 192.78	1	8	622
1	172A-010C 215.99	173A-010C 230.25	1	4	622
1-1/4	172A-012C 265.96	173A-012C 283.82	2	0	622
1-1/2	172A-015C 353.44	173A-015C 373.06	1	0	622
2	172A-020C 499.80	173A-020C 533.72	1	0	622
3	172A-030C 1071.02	173A-030C 1163.84	1	0	622
4	172A-040C 1815.37	173A-040C 1977.81	1	0	622

**CPVC - True Union Threaded Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172B-005C 153.52	173B-005C 162.44	1	8	622
3/4	172B-007C 180.28	173B-007C 192.78	1	8	622
1	172B-010C 215.99	173B-010C 230.25	1	4	622
1-1/4	172B-012C 265.96	173B-012C 283.82	2	0	622

Valves Product  
**Y-Pattern Valves**



**Y-Pattern Valves**

**CPVC - True Union Threaded Ends (continued)**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1-1/2	172B-015C <b>353.44</b>	173B-015C <b>373.06</b>	2	0	622
2	172B-020C <b>499.80</b>	173B-020C <b>533.72</b>	1	0	622
3	172B-030C <b>1071.02</b>	173B-030C <b>1163.84</b>	1	0	622
4	172B-040C <b>1815.37</b>	173B-040C <b>1977.81</b>	1	0	622

**CPVC - True Union SR Threaded Ends**

Size	EPDM	FKM	Std Pk	Mstr Pk	Prod Code
1/2	172B-005CSR <b>157.08</b>	173B-005CSR <b>167.79</b>	1	8	622
3/4	172B-007CSR <b>187.41</b>	173B-007CSR <b>199.93</b>	1	8	622
1	172B-010CSR <b>226.69</b>	173B-010CSR <b>230.25</b>	1	4	622
1-1/4	172B-012CSR <b>276.68</b>	173B-012CSR <b>298.08</b>	1	0	622
1-1/2	172B-015CSR <b>380.20</b>	173B-015CSR <b>401.63</b>	1	0	622
2	172B-020CSR <b>531.93</b>	173B-020CSR <b>560.47</b>	1	0	622
3	172B-030CSR <b>1147.76</b>	173B-030CSR <b>1242.38</b>	1	0	622
4	172B-040CSR <b>1810.01</b>	173B-040CSR <b>2059.91</b>	1	0	622